
IDIS Conformance test report
11-DEC-2020 09:41:32
iCTT2 Package 2, Edition 2.0, Revision 1 (136)
Licensed to: KEMA-IDIS Cert.
Tester: Tom Levels

* Identification *

```
Manufacturer = {  
  Name = '\Inhemeter co., Ltd'  
  ThreeLettersId = '\IHM'  
}  
DeviceUnderTest = {  
  Type = '\i310'  
  IDISDeviceType = 103  
  IDISFunctionType = [EXTENSION_D]  
  SerialNr = 90047765  
  IPVersion = IPV6  
  DataLinkLayer = G3  
  EUI64Address = '037990FFFE047765'  
  ConsumerInformationPush = FALSE  
  SMSSupported = FALSE  
  ClipCallSupported = FALSE  
}
```

Active firmware identifier (1-0:0.2.0.255) = \TKI1-6F-20112401
Active firmware identifier 1 (1-1:0.2.0.255) = 36462D454D552D313931323235303100
Active firmware identifier 2 (1-2:0.2.0.255) = \SPGR2-201025

* Summary *

PASSED	70
FAILED	0
DISABLED	0
INAPPLICABLE	203
INCONCLUSIVE	0
FATAL	0
TOTAL	273

Test Case 1 : Connect and release, 4 item(s)

(1) Connect Public	PASSED
(2) Release Public	PASSED
(3) Connect Management	PASSED
(4) Release Management	PASSED

Test Case 2 : Read Device IDs, 12 item(s)

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)	
(1) .logical_name	PASSED
<Data>	
<OctetString value="0000600100FF" />	
</Data>	
(2) .value	PASSED
<Data>	
<OctetString value="\037990047765" />	
</Data>	
Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)	
(3) .logical_name	PASSED
<Data>	
<OctetString value="0000600101FF" />	
</Data>	
(4) .value	PASSED
<Data>	
<OctetString value="\INHE-TKI1-6F" />	
</Data>	
Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)	
(5) .logical_name	PASSED
<Data>	
<OctetString value="0000600102FF" />	
</Data>	
(6) .value	PASSED
<Data>	
<OctetString value="00" />	
</Data>	

```

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)
(7) .logical_name PASSED
    <Data>
    <OctetString value="0000600103FF" />
    </Data>
(8) .value PASSED
    <Data>
    <OctetString value="00" />
    </Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)
(9) .logical_name PASSED
    <Data>
    <OctetString value="0000600104FF" />
    </Data>
(10) .value PASSED
    <Data>
    <OctetString value="00" />
    </Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)
(11) .logical_name PASSED
    <Data>
    <OctetString value="0000600105FF" />
    </Data>
(12) .value PASSED
    <Data>
    <OctetString value="\INHE" />
    </Data>

*****
Test Case 3 : Read COSEM Logical Device Name, 2 item(s)
*****

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)
(1) .logical_name PASSED
    <Data>
    <OctetString value="00002A0000FF" />
    </Data>
(2) .value PASSED
    <Data>
    <OctetString value="\IHM1030190047765" />
    </Data>

*****
Test Case 4 : Read SAP Assignment, 2 item(s)
*****

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name PASSED
    <Data>
    <OctetString value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list PASSED
    <Data>
    <Array Qty="0001" >
    <Structure Qty="0002" >
    <LongUnsigned value="0001" />
    <OctetString value="\IHM1030190047765" />
    </Structure>
    </Array>
    </Data>

*****
Test Case 5 : Read Active FW Version, 12 item(s)
*****

Mngmt Get Active firmware identifier 1-0:0.2.0.255 (@412)
(1) .logical_name PASSED
    <Data>
    <OctetString value="0100000200FF" />
    </Data>
(2) .value PASSED
    <Data>
    <OctetString value="\TKI1-6F-20112401" />
    </Data>

Mngmt Get Active firmware signature 1-0:0.2.8.255 (@416)
(3) .logical_name PASSED
    <Data>
    <OctetString value="0100000208FF" />
    </Data>
(4) .value PASSED
    <Data>
    <OctetString value="\E109EC38" />
    </Data>

```

```

Mngmt Get Active firmware identifier 1 1-1:0.2.0.255 (@420)
(5) .logical_name PASSED
    <Data>
    <OctetString value="0101000200FF" />
    </Data>
(6) .value PASSED
    <Data>
    <OctetString value="36462D454D552D313931323235303100" />
    </Data>

Mngmt Get Active firmware signature 1 1-1:0.2.8.255 (@424)
(7) .logical_name PASSED
    <Data>
    <OctetString value="0101000208FF" />
    </Data>
(8) .value PASSED
    <Data>
    <OctetString value="\2E52E6AE" />
    </Data>

Mngmt Get Active firmware identifier 2 1-2:0.2.0.255 (@428)
(9) .logical_name PASSED
    <Data>
    <OctetString value="0102000200FF" />
    </Data>
(10) .value PASSED
    <Data>
    <OctetString value="\SPGR2-201025" />
    </Data>

Mngmt Get Active firmware signature 2 1-2:0.2.8.255 (@432)
(11) .logical_name PASSED
    <Data>
    <OctetString value="0102000208FF" />
    </Data>
(12) .value PASSED
    <Data>
    <OctetString value="00000000000000000000000000000000" />
    </Data>

*****
Test Case 6 : Set Clock, 1 item(s)
*****

Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
    <OctetString value="07E40C0BFF0A0000FF8000FF" />
    </Data>

*****
Test Case 7 : Get Clock, 1 item(s)
*****

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
    <OctetString value="07E40C0B050A000000800000" />
    </Data>

*****
Test Case 8 : Set Special Days, 1 item(s)
*****

Pre Set Special Days Table 0-0:11.0.0.255 (@125)
(1) .entries PASSED
    <Data>
    <Array Qty="001E" >
    <Structure Qty="0003" >
    <LongUnsigned value="0001" />
    <OctetString value="FFFF0101FF" />
    <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned value="0001" />
    <OctetString value="FFFF0102FF" />
    <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned value="0001" />
    <OctetString value="FFFF0103FF" />
    <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned value="0001" />
    <OctetString value="FFFF0104FF" />
    <Unsigned value="02" />
    </Structure>
    </Array>
    </Data>

```

[illegible]

```

        <LongUnsigned value="0001" />
        <OctetString value="FFFF0302FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0303FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0304FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0305FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0306FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0307FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0308FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF0309FF" />
        <Unsigned value="02" />
    </Structure>
    <Structure Qty="0003" >
        <LongUnsigned value="0001" />
        <OctetString value="FFFF030AFF" />
        <Unsigned value="02" />
    </Structure>
</Array>
</Data>

```

Test Case 9 : Get Special Days, 1 item(s)

Mngmt Get Special Days Table 0-0:11.0.0.255 (@125)

(1) .entries

PASSED

```

    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <LongUnsigned value="0001" />
                <OctetString value="FFFF030AFF" />
                <Unsigned value="02" />
            </Structure>
        </Array>
    </Data>

```

Test Case 10 : Read Event Log Buffers, 20 item(s)

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@193)

(1) .logical_name

PASSED

```

    <Data>
        <OctetString value="0000636202FF" />
    </Data>

```

(2) .buffer

PASSED

Earliest date: 02-JUL-2020 00:00:06, latest date: 25-NOV-2020 12:25:12
Middle date: 25-NOV-2020 10:09:27

(3) .entries_in_use

PASSED

```

    <Data>
        <DoubleLongUnsigned value="00000025" />
    </Data>

```

(4) .profile_entries

PASSED

```

    <Data>
        <DoubleLongUnsigned value="00000064" />
    </Data>

```

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@301)

(5) .logical_name

PASSED

```

    <Data>

```

```

        <OctetString value="0000636200FF" />
      </Data>
(6) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:06, latest date: 02-JAN-2022 00:00:14
    Middle date: 02-MAR-2021 00:07:19
(7) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned value="00000278" />
    </Data>
(8) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned value="000003E8" />
    </Data>

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@316)
(9) .logical_name PASSED
    <Data>
    <OctetString value="0000636201FF" />
    </Data>
(10) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:08, latest date: 10-DEC-2020 16:06:55
    Middle date: 25-NOV-2020 10:17:38
(11) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned value="00000037" />
    </Data>
(12) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned value="00000064" />
    </Data>

Mngmt Get Communication Log 0-0:99.98.5.255 (@331)
(13) .logical_name PASSED
    <Data>
    <OctetString value="0000636205FF" />
    </Data>
(14) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:08, latest date: 15-JUN-2021 03:16:58
    Middle date: 02-MAR-2021 00:02:01
(15) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned value="0000003F" />
    </Data>
(16) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned value="00000064" />
    </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1340)
(17) .logical_name PASSED
    <Data>
    <OctetString value="0000636204FF" />
    </Data>
(18) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:09, latest date: 25-NOV-2020 09:47:57
    Middle date: 25-NOV-2020 09:47:00
(19) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned value="00000005" />
    </Data>
(20) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned value="000000C8" />
    </Data>

```

 Test Case 11 : Reading Data of Billing Period 1, 8 item(s)

```

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@158)
(1) .logical_name PASSED
    <Data>
    <OctetString value="0000620100FF" />
    </Data>
(2) .buffer PASSED
    Earliest date: 02-DEC-2020 00:00:00, latest date: 02-JUN-2021 00:00:00
    Middle date: 02-APR-2021 00:00:00
(3) .capture_objects PASSED
    <Data>
    <Array Qty="0005" >
    <Structure Qty="0004" >
    <LongUnsigned value="0008" />
    <OctetString value="0000010000FF" />
    <Integer value="02" />
    <LongUnsigned value="0000" />
    </Structure>
    <Structure Qty="0004" >

```

```

        <LongUnsigned value="0003" />
        <OctetString value="0100010801FF" />
        <Integer value="02" />
        <LongUnsigned value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned value="0003" />
        <OctetString value="0100010802FF" />
        <Integer value="02" />
        <LongUnsigned value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned value="0003" />
        <OctetString value="0100020801FF" />
        <Integer value="02" />
        <LongUnsigned value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned value="0003" />
        <OctetString value="0100020802FF" />
        <Integer value="02" />
        <LongUnsigned value="0000" />
    </Structure>
</Array>
</Data>
(4) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned value="00000000" />
    </Data>
(5) .sort_method PASSED
    <Data>
        <Enum value="01" />
    </Data>
(6) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned value="0000" />
            <OctetString value="000000000000" />
            <Integer value="00" />
            <LongUnsigned value="0000" />
        </Structure>
    </Data>
(7) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned value="00000008" />
    </Data>
(8) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned value="000000F0" />
    </Data>

```

Test Case 12 : Ext. M - M-Bus Setup LGZ G350, 52 item(s)

```

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1566)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .comm_speed
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1570)
(3) .logical_name
INAPPLICABLE
    optional object is not implemented
(4) .comm_speed
INAPPLICABLE
    optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1574)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(9) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

(10) .identification_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (11) .manufacturer_id
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (12) .version
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (13) .device_type
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (14) .access_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (15) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (16) .alarm
 INAPPLICABLE
 Object is not required according to OM and/or extensions

 Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1596)
 (17) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (18) .mbus_port_reference
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (19) .capture_definition
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (20) .capture_period
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (21) .primary_address
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (22) .identification_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (23) .manufacturer_id
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (24) .version
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (25) .device_type
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (26) .access_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (27) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (28) .alarm
 INAPPLICABLE
 Object is not required according to OM and/or extensions

 Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1618)
 (29) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (30) .mbus_port_reference
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (31) .capture_definition
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (32) .capture_period
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (33) .primary_address
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (34) .identification_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (35) .manufacturer_id
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (36) .version
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (37) .device_type
 INAPPLICABLE

Object is not required according to OM and/or extensions
 (38) .access_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (39) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (40) .alarm
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1640)
 (41) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (42) .mbus_port_reference
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (43) .capture_definition
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (44) .capture_period
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (45) .primary_address
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (46) .identification_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (47) .manufacturer_id
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (48) .version
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (49) .device_type
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (50) .access_number
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (51) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (52) .alarm
 INAPPLICABLE
 Object is not required according to OM and/or extensions

 Test Case 13 : Ext. M - M-Bus Results uncorrected Vol. & valve, 40 item(s)

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1662)
 (1) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (2) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (3) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (4) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (5) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1670)
 (6) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (7) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (8) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (9) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (10) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1694)
 (11) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (12) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (13) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (14) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (15) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1702)
 (16) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (17) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (18) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (19) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (20) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1726)
 (21) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (22) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (23) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (24) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (25) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1734)
 (26) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (27) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (28) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (29) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (30) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1758)
 (31) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (32) .value
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (33) .scaler_unit
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (34) .status
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (35) .capture_time
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1766)

(36) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(37) .value
INAPPLICABLE
Object is not required according to OM and/or extensions
(38) .scaler_unit
INAPPLICABLE
Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
Object is not required according to OM and/or extensions
(40) .capture_time
INAPPLICABLE
Object is not required according to OM and/or extensions

Test Case 14 : Ext. M - M-Bus Device IDs, 16 item(s)

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1790)
(1) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1794)
(3) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(4) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1798)
(5) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(6) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1802)
(7) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(8) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1806)
(9) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(10) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1810)
(11) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1814)
(13) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(14) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1818)
(15) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(16) .value
INAPPLICABLE
Object is not required according to OM and/or extensions

Test Case 15 : Ext. M - M-Bus Load Profiles, 32 item(s)

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)

(1) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions

(2) .buffer
INAPPLICABLE
Object is not required according to OM and/or extensions

(3) .capture_objects
INAPPLICABLE
Object is not required according to OM and/or extensions

(4) .capture_period
INAPPLICABLE
Object is not required according to OM and/or extensions

(5) .sort_method
INAPPLICABLE
Object is not required according to OM and/or extensions

(6) .sort_object
INAPPLICABLE
Object is not required according to OM and/or extensions

(7) .entries_in_use
INAPPLICABLE
Object is not required according to OM and/or extensions

(8) .profile_entries
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)

(9) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions

(10) .buffer
INAPPLICABLE
Object is not required according to OM and/or extensions

(11) .capture_objects
INAPPLICABLE
Object is not required according to OM and/or extensions

(12) .capture_period
INAPPLICABLE
Object is not required according to OM and/or extensions

(13) .sort_method
INAPPLICABLE
Object is not required according to OM and/or extensions

(14) .sort_object
INAPPLICABLE
Object is not required according to OM and/or extensions

(15) .entries_in_use
INAPPLICABLE
Object is not required according to OM and/or extensions

(16) .profile_entries
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)

(17) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions

(18) .buffer
INAPPLICABLE
Object is not required according to OM and/or extensions

(19) .capture_objects
INAPPLICABLE
Object is not required according to OM and/or extensions

(20) .capture_period
INAPPLICABLE
Object is not required according to OM and/or extensions

(21) .sort_method
INAPPLICABLE
Object is not required according to OM and/or extensions

(22) .sort_object
INAPPLICABLE
Object is not required according to OM and/or extensions

(23) .entries_in_use
INAPPLICABLE
Object is not required according to OM and/or extensions

(24) .profile_entries
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)

(25) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions

(26) .buffer
INAPPLICABLE
Object is not required according to OM and/or extensions

(27) .capture_objects
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (28) .capture_period
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (29) .sort_method
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (30) .sort_object
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (31) .entries_in_use
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (32) .profile_entries
 INAPPLICABLE
 Object is not required according to OM and/or extensions

 Test Case 16 : Ext. M - M-Bus Control Logs, 40 item(s)

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)
 (1) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (2) .buffer
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (3) .capture_objects
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (4) .capture_period
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (5) .sort_method
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (6) .sort_object
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (7) .entries_in_use
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (8) .profile_entries
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)
 (9) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (10) .buffer
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (11) .capture_objects
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (12) .capture_period
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (13) .sort_method
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (14) .sort_object
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (15) .entries_in_use
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (16) .profile_entries
 INAPPLICABLE
 Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)
 (17) .logical_name
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (18) .buffer
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (19) .capture_objects
 INAPPLICABLE
 Object is not required according to OM and/or extensions
 (20) .capture_period
 INAPPLICABLE

object is not required according to OM and/or extensions
 (21) .sort_method
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (22) .sort_object
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (23) .entries_in_use
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (24) .profile_entries
 INAPPLICABLE
 object is not required according to OM and/or extensions

 Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)
 (25) .logical_name
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (26) .buffer
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (27) .capture_objects
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (28) .capture_period
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (29) .sort_method
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (30) .sort_object
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (31) .entries_in_use
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (32) .profile_entries
 INAPPLICABLE
 object is not required according to OM and/or extensions

 Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1989)
 (33) .logical_name
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (34) .buffer
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (35) .capture_objects
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (36) .capture_period
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (37) .sort_method
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (38) .sort_object
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (39) .entries_in_use
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (40) .profile_entries
 INAPPLICABLE
 object is not required according to OM and/or extensions

 Test Case 17 : Ext. M - M-Bus Disconnect, 22 item(s)

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)
 (1) .logical_name
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (2) .output_state
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (3) .control_state
 INAPPLICABLE
 object is not required according to OM and/or extensions
 (4) .control_mode
 INAPPLICABLE
 object is not required according to OM and/or extensions

 Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)
 (5) .logical_name
 INAPPLICABLE

```

        Object is not required according to OM and/or extensions
    (6) .output_state
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (7) .control_state
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (8) .control_mode
INAPPLICABLE
        Object is not required according to OM and/or extensions

    Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)
    (9) .logical_name
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (10) .output_state
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (11) .control_state
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (12) .control_mode
INAPPLICABLE
        Object is not required according to OM and/or extensions

    Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)
    (13) .logical_name
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (14) .output_state
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (15) .control_state
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (16) .control_mode
INAPPLICABLE
        Object is not required according to OM and/or extensions

    Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1914)
    (17) .logical_name
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (18) .executed_script
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (19) .type
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (20) .execution_time
INAPPLICABLE
        Object is not required according to OM and/or extensions

    Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255 (@1920)
    (21) .logical_name
INAPPLICABLE
        Object is not required according to OM and/or extensions
    (22) .scripts
INAPPLICABLE
        Object is not required according to OM and/or extensions

*****
Test Case 18 : FIT Push, 3 item(s)
*****
    (1) Push on installation
    (2) Push on alarm
    (3) Push on power down
INAPPLICABLE
        Push setup on power down not available

*****
Test Case 19 : FIT Miscellaneous, 4 item(s)
*****
    (1) Disconnecter Script Table
    (2) Load profile with period 1 DST ambiguity
    (3) Load profile power down withing one period
    (4) Load profile power down over two periods

*****
* CTI *
*****

//*****
//* CTI Inhemeter GPRS *
//*****

// Conformance Test Information (CTI) Template

```

```
// 2.3
```

```
Manufacturer = {  
    Name = '\Inhemeter co., Ltd'  
    ThreeLettersId = '\IHM'  
}
```

```
DeviceUnderTest = {  
    Type = 'i310'  
    IDISDeviceType = 103  
    IDISFunctionType = [Extension_D]  
    SerialNr = 90047765  
    IPVersion = IPV6  
    DataLinkLayer = G3  
    EUI64Address = "037990FFFE047765"  
    ConsumerInformationPush = FALSE  
    SMSSupported = FALSE  
    ClipCallsSupported = FALSE  
}
```

```
TestOptions = {  
    PushDestination = '\[fe80:0:0:0:781d:ff:fe00:0]:61616'  
}
```

```
ObjectModel = {  
    // optional objects implemented
```

```
    optionalObjects = '  
        + '1-1:0.2.0.255|1,' // Active firmware identifier 1 (@420)  
        + '1-1:0.2.8.255|1,' // Active firmware signature 1 (@424)  
        + '1-2:0.2.0.255|1,' // Active firmware identifier 2 (@428)  
        + '1-2:0.2.8.255|1,' // Active firmware signature 2 (@432)  
        + '1-0:9.8.0.255|3,' // Apparent energy import (+VA) (QI+QIV) (@497)  
        + '1-0:10.8.0.255|3,' // Apparent energy export (-VA) (QII+QIII) (@503)  
        + '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@606)  
        + '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@612)  
        + '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@618)  
        + '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@624)  
        + '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@630)  
        + '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@636)  
        + '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@642)  
        + '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@648)  
        + '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@654)  
        + '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@660)  
        + '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@666)  
        + '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@672)  
        + '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@678)  
        + '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@684)  
        + '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@690)  
        + '1-0:8.8.4.255|3,' // Reactive energy (QIV) rate 4 (@696)  
        + '1-0:9.8.1.255|3,' // Apparent energy import (+VA) rate 1 (@702)  
        + '1-0:9.8.2.255|3,' // Apparent energy import (+VA) rate 2 (@708)  
        + '1-0:9.8.3.255|3,' // Apparent energy import (+VA) rate 3 (@714)  
        + '1-0:9.8.4.255|3,' // Apparent energy import (+VA) rate 4 (@720)  
        + '1-0:10.8.1.255|3,' // Apparent energy export (-VA) rate 1 (@726)  
        + '1-0:10.8.2.255|3,' // Apparent energy export (-VA) rate 2 (@732)  
        + '1-0:10.8.3.255|3,' // Apparent energy export (-VA) rate 3 (@738)  
        + '1-0:10.8.4.255|3,' // Apparent energy export (-VA) rate 4 (@744)  
        + '1-0:15.8.1.255|3,' // Active energy Combined total (|+A|+|-A|) rate 1 (@750)  
        + '1-0:15.8.2.255|3,' // Active energy Combined total (|+A|+|-A|) rate 2 (@756)  
        + '1-0:15.8.3.255|3,' // Active energy Combined total (|+A|+|-A|) rate 3 (@762)  
        + '1-0:15.8.4.255|3,' // Active energy Combined total (|+A|+|-A|) rate 4 (@768)  
        + '1-0:14.7.0.255|3,' // Instantaneous net frequency; any phase (@1450)  
        + '1-0:9.7.0.255|3,' // Instantaneous apparent import power (+VA) (@1486)  
        + '1-0:10.7.0.255|3,' // Instantaneous apparent export power (-VA) (@1492)  
        + '1-0:16.24.0.255|5,' // Average Net Power (|+A|+|-A|) (@1511)  
        + '1-0:13.7.0.255|3,' // Instantaneous Power factor (+A/+VA) (@1537)  
    '
```

```
// needed for conformance test.
```

```
    InstanceExtraInfo =  
    {  
        LogicalName = '0-0:29.1.0.255'  
        ClassId = 91  
        Version = 1  
  
        AttributeExtraInfo =  
        {  
            AttributeId = 5  
            SetData = '\'  
                <Data> '  
                <Array Qty = "01"> '  
                <Structure Qty = "02"> '  
                <unsigned Value = "00" /> '  
                <octetString Value = "AF4D6DCCF14DE7C1C4235E6FEF6C151F"/> '  
                </Structure> '  
                </Array> '  
            </Data> '  
        }  
    }
```

```

        }
        AccessRights = [SET]
    }
}

InstanceExtraInfo = {
// Set value for Consumer Message Text
LogicalName = '0-0:96.13.0.255'
ClassId = 1
    AttributeExtraInfo = {
        AttributeId = 2
        SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
    }
}
InstanceExtraInfo = {
    LogicalName = '0-0:1.0.0.255'
    ClassId = 8
    AttributeExtraInfo = {
        AttributeId = 2
        SetData = '\<Data><OctetString Value="07E40C0BFF0A0000FF8000FF" /></Data>' // yyyy mm
dd dow hh mm ss
    }
}

InstanceExtraInfo = {
// Set special days to 30 entries
LogicalName = '0-0:11.0.0.255'
ClassId = 11
    AttributeExtraInfo = {
        AttributeId = 2
        SetData = '\<Data>'
+ '        <Array Qty="1E" >'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0101FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0102FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0103FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0104FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0105FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0106FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0107FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0108FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0109FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF010AFF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'
+ '                <LongUnsigned Value="0001" />'
+ '                <OctetString Value="FFFF0201FF" />'
+ '                <Unsigned Value="02" />'
+ '            </Structure>'
+ '            <Structure Qty="03" >'

```

[illegible]

```

+ '          <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '          <LongUnsigned Value="0001" />'
+ '          <OctetString Value="FFFF030AFF" />'
+ '          <Unsigned Value="02" />'
+ '      </Structure>'
+ '  </Array>'
+ ' </Data>'
}
}
}

```

```

TestParameters = {
    ConnectDisconnectDelay = 3000
    ClientsSystemTitle = '58585A0102030405'

    ImageTransfer = {
        ImageIdentifier = '\TKI1-6F-20123101'
        ImageFileName = '\TKI1-6F-20123101.bin'
        Timeout = 120000
    }

    PushTimeout = 60000
    MinInterWPDUFramesDelay = 700
    ProfilePeriodsQty = 6
    CaptureDelay = 15000
    ClipCallDuration = 12000

    AutoConnect = {
        Repetitions = 0
        RepetitionDelay = 0
    }

    PushSetup = {
        NumberOfRetries = 0
        RepetitionDelay = 0
    }

    WakeupDelay = 30000
    DisconnectToSendsMSDelay = 10000
    DataNotificationToDisconnectDelay = 10000
}

```

```

LocalSecurityElements = {
    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }
    Management = {
        ContextName = LONG_NAMES
        MechanismName = LOW_LEVEL_SECURITY
        Policy = NO_SECURITY
        Password = '\12345678'
    }
    PreEstablished = {
        Policy = NO_SECURITY
        ServerMaxReceivePduSize = 1224
        CipheringStyle = GENERAL
    }
}

```

```

RemoteSecurityElements = {
    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }
    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }
    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePduSize = 1224
        CipheringStyle = GENERAL
    }
}

```

```

SMSSecurityElements = {

```

```

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePDUSize = 138
        CipheringStyle = GENERAL
    }
}

HDLCPProfile = {
    PhysicalLayer = {
        OpeningMode = DIRECT_HDLC
        HdLcBaud = 9600
    }
    DataLinkLayer = {
        InactivityTimeout = 10000
        InterFrameTimeout = 200
        ResponseTimeout = 4000
        DISCToNDMTIMEOUT = 120000
        AddressingSchemes = [TWO_BYTES_ADDRESSING]
        ServerLowerMACAddress = 0x11
        LastRectoNextSendDelay = 0
    }

    UIFrameDelay = 2000

    UIFrameLength = 126

}

TCPProfile = {
    ServerTCPPort = 4059
    ResponseTimeout = 10000
    ConnectTimeout = 30000
    DisconnectToConnectDelay = 15000
}

// Mandatory parameters of the 'Remote' G3-PLC profile
G3PLCProfile = {
    FrequencyBand = CENELEC_A
    ResponseTimeout = 30000
    UDPPort = 61616
    ConnectTimeout = 10000
    PSK = "78563412214365877856341221436587"
}

// END CTI_Template

*****
* Miscellaneous *
*****

TestMode:                G3-PLC
Test Plan Signature:      BFC18D5882976F2087BC007B67CDC246
Object Model:             IDIS-S02-002 - object model Pack2 Ed2.0 - V2.29 (20200831)-FIT MBUS
Tests G350 (CorrectedAndValve status).xlsx
DUT system title:         49484D67155E0515
Run number:               1213

```