

```
*****
IDIS Conformance test report
03-FEB-2014 10:36:45
iCTT Package 1, Edition 1.1, Revision 1 (209)
Licensed to: KEMA-IDIS Cert.
Tester: Bas Roelofsen
*****
```

```
*****
* Identification *
*****
```

```
Manufacturer = {
  Name = '\Meter and Control d.o.o.'
  ThreeLettersId = '\MAC'
}
DeviceUnderTest = {
  Type = '\SM401D-xxAxxxxx-xSxxxxx-xxxxxxxxxxxxx'
  IDISDeviceType = 100
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]
  SerialNr = 119927
}
```

Active firmware version (1-0:0.2.0.255) = \V010325

```
*****
* Summary *
*****
```

PASSED	1249
FAILED	0
DISABLED	0
INAPPLICABLE	250
INCONCLUSIVE	0
FATAL	0
TOTAL	1499

```
*****
Test Case 1 : Discovery, 1 item(s)
*****
```

(1) Meter Discovery	PASSED
---------------------	--------

```
*****
Test Case 2 : Connect and release, 4 item(s)
*****
```

(1) Connect Public	PASSED
(2) Release Public	PASSED
(3) Connect Management	PASSED
(4) Release Management	PASSED

```
*****
Test Case 3 : Get public object-list, 1 item(s)
*****
```

Public Get Current association 0-0:40.0.0.255 (@9)	
(1) .object_list	PASSED
<_Data>	
<Array Qty="0005" >	
<Structure Qty="0004" >	
<LongUnsigned Value="0001" />	
<Unsigned Value="00" />	
<OctetString Value="00002A0000FF" />	
<Structure Qty="0002" >	
<Array Qty="0002" >	
<Structure Qty="0003" >	
<Integer Value="01" />	

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="00002B0101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="00002B0100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="000F" />
    <Unsigned Value="01" />
    <OctetString Value="0000280000FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >

```

```

    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Array>
</_Data>

```

```

*****
Test Case 4 : Get mngmt object-list, 1 item(s)
*****

```

Mngmt Get Current association 0-0:40.0.0.255 (@9)

(1) .object_list

PASSED

```

  <_Data>
    <Array Qty="011C" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <Unsigned Value="00" />
        <OctetString Value="00002A0000FF" />
        <Structure Qty="0002" >
          <Array Qty="0002" >
            <Structure Qty="0003" >
              <Integer Value="01" />
              <Enum Value="01" />
              <NullData />
            </Structure>
            <Structure Qty="0003" >
              <Integer Value="02" />
              <Enum Value="01" />
              <NullData />
            </Structure>
          </Array>
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <Unsigned Value="00" />
      <OctetString Value="0000600100FF" />
      <Structure Qty="0002" >
        <Array Qty="0002" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="01" />
            <NullData />
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="01" />
          </Structure>
        </Array>
      </Structure>
    </Structure>
  </_Data>

```

```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600104FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600105FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600106FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600107FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600108FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600109FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

<Unsigned Value="00" />
<OctetString Value="0001600100FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >

```



```

    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0004600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100000200FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100000208FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```

        <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="01" />
            <NullData />
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000616100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000061620AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000616200FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>

```

```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B03FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0001600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000600A01FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >

```

```

    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600715FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100202000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100202400FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```

        <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="01" />
            <NullData />
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100810101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100810103FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100810104FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100810105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010081010AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010081010BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010081010DFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010081010FFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100810121FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100810122FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100810126FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100810127FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
```

```

<Unsigned Value="00" />
<OctetString Value="0100810128FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100810129FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >

```

```

    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600781FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600784FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```



```

<Unsigned Value="00" />
<OctetString Value="0000810001FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000810002FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600603FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="010020077EFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="010000090BFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600714FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600713FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000C1F00FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202100FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202200FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000C2300FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="01000C2B00FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202600FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000C2700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000C2D00FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100210700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```



```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000D0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100220700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000E0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01005A0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="01001F0700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0100020803FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0100040804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```



```

        </Structure>
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0100070800FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080804FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
      </Array>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Integer Value="01" />
          <Enum Value="00" />
        </Structure>
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0800FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
      </Array>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Integer Value="01" />
          <Enum Value="00" />
        </Structure>
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="01000F0801FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100100800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```



```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0100070700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000A0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100150700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100160700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100170700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100180700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100190700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01001A0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```



```

<Unsigned Value="00" />
<OctetString Value="01001B0700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001C0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100200300FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01001F0600FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100200601FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100200301FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01001F0601FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="000080070BFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="000080070CFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="000080070DFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="000080070EFF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080070FFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000800710FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000800711FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100010600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
```



```

<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

        <Structure Qty="0003" >
            <Integer Value="05" />
            <Enum Value="01" />
            <NullData />
        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100010604FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```
<Integer Value="02" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```

    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020602FF" />
    <Structure Qty="0002" >
      <Array Qty="0005" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="04" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="05" />
          <Enum Value="01" />
          <NullData />
        </Structure>
      </Array>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Integer Value="01" />
          <Enum Value="00" />
        </Structure>
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020603FF" />
    <Structure Qty="0002" >
      <Array Qty="0005" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="04" />
          <Enum Value="01" />
          <NullData />
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020604FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030602FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>

```

```

        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030604FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040601FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >

```

```

        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040602FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100090604FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="01000A0600FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="01000A0602FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="01000A0603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```



```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

<Unsigned Value="00" />
<OctetString Value="0001180201FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180203FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

        <Structure Qty="0003" >
            <Integer Value="05" />
            <Enum Value="01" />
            <NullData />
        </Structure>
    </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0003180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```
<Integer Value="02" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```

    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0003180203FF" />
    <Structure Qty="0002" >
      <Array Qty="0005" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="04" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="05" />
          <Enum Value="01" />
          <NullData />
        </Structure>
      </Array>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Integer Value="01" />
          <Enum Value="00" />
        </Structure>
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0003180204FF" />
    <Structure Qty="0002" >
      <Array Qty="0005" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="04" />
          <Enum Value="01" />
          <NullData />
        </Structure>
      </Array>
    </Structure>
  </Structure>

```



```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180202FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100010400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100020400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
            </Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100030400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100090400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```



```
<Integer Value="06" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0006" />
    <Unsigned Value="00" />
    <OctetString Value="00000E0001FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0006" />
    <Unsigned Value="00" />
    <OctetString Value="00000E0002FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0000636201FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
```

```

<Unsigned Value="01" />
<OctetString Value="0000636202FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0002" >
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0001180500FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0003180500FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>

```

```
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
            <Integer Value="01" />
            <Integer Value="02" />
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0100638000FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />

```



```

        <Integer Value="02" />
    </Array>
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0100638100FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="02" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100638200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0002180300FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >

```

```

        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0003180300FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
```

```

</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150001FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="02" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />

```

```

<Unsigned Value="01" />
<OctetString Value="0000150002FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="02" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >

```



```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A006BFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00010A006AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="000B" />
    <Unsigned Value="00" />
    <OctetString Value="00000B0000FF" />
    <Structure Qty="0002" >
      <Array Qty="0002" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="03" />
          <NullData />
        </Structure>
      </Array>
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="000F" />
    <Unsigned Value="01" />
    <OctetString Value="0000280000FF" />
    <Structure Qty="0002" >
      <Array Qty="0009" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="02" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="03" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="04" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="05" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="06" />
          <Enum Value="01" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="07" />
          <Enum Value="02" />
          <NullData />
        </Structure>
        <Structure Qty="0003" >
          <Integer Value="08" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0011" />
    <Unsigned Value="00" />
    <OctetString Value="0000290000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0012" />
    <Unsigned Value="00" />
    <OctetString Value="00002C0000FF" />
    <Structure Qty="0002" >
        <Array Qty="0007" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0014" />
    <Unsigned Value="00" />
    <OctetString Value="00000D0000FF" />
    <Structure Qty="0002" >
        <Array Qty="000A" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
```

```

        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0000FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0001FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```



```

        <Structure Qty="0003" >
            <Integer Value="04" />
            <Enum Value="03" />
            <NullData />
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0002FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00010F0001FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>

```

```

        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0017" />
    <Unsigned Value="01" />
    <OctetString Value="0000160000FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="09" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0032" />
    <Unsigned Value="01" />
    <OctetString Value="00001A0000FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="000F" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0A" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0B" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0C" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0D" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
</Structure>
```

```

        </Structure>
        <Structure Qty="0003" >
            <Integer Value="0E" />
            <Enum Value="01" />
            <NullData />
        </Structure>
        <Structure Qty="0003" >
            <Integer Value="0F" />
            <Enum Value="03" />
            <NullData />
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0033" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0034" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0200FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="000060030AFF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="02" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="02" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="000160030AFF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />

```

```
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="000260030AFF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="02" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="02" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="0001180400FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
```



```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0048" />
    <Unsigned Value="00" />
    <OctetString Value="0001180100FF" />
    <Structure Qty="0002" >
        <Array Qty="000C" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="09" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="0A" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0008" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="05" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="06" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="07" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="08" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0048" />
    <Unsigned Value="00" />
    <OctetString Value="0002180100FF" />
    <Structure Qty="0002" >
        <Array Qty="000C" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0A" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0B" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0C" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0008" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />

```

```
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="02" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="02" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="02" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
```

```

        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="05" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="06" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="07" />
        <Enum Value="02" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="08" />
        <Enum Value="02" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="004A" />
    <Unsigned Value="00" />
    <OctetString Value="0000180600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="004A" />
    <Unsigned Value="00" />
    <OctetString Value="0001180600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
</Array>
</_Data>

```

Test Case 5 : Get public attributes, 15 item(s)

Public Get SAP Assignment 0-0:41.0.0.255 (@4)

(1) .logical_name PASSED

```

    <Data>
        <OctetString Value="0000290000FF" />
    </Data>

```

(2) .SAP_assignment_list PASSED

```

    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <OctetString Value="\MAC1000700119927" />
            </Structure>
        </Array>
    </Data>

```

Public Get Current association 0-0:40.0.0.255 (@9)

(3) .logical_name PASSED

```

    <Data>
        <OctetString Value="0000280000FF" />
    </Data>

```

(4) .associated_partners_id PASSED

```

    <Data>
        <Structure Qty="0002" >
            <Integer Value="10" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>

```

(5) .application_context_name PASSED

```

    <Data>
        <OctetString Value="60857405080101" />
    </Data>

```

(6) .xDLMS_context_info PASSED

```

    <Data>
        <Structure Qty="0006" >
            <BitString Value="000000000001101000011101" />
            <LongUnsigned Value="00DD" />
            <LongUnsigned Value="00DD" />
            <Unsigned Value="06" />
            <Integer Value="00" />
            <OctetString Value="\ " />
        </Structure>
    </Data>

```

(7) .authentication_mechanism_name PASSED

```

    <Data>
        <OctetString Value="60857405080200" />
    </Data>

```

(8) .association_status PASSED

```

    <Data>
        <Enum Value="02" />
    </Data>

```

(9) .security_setup_reference PASSED

```

    <Data>
        <OctetString Value="00002B0000FF" />
    </Data>

```

```

Public Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)
(10) .logical_name PASSED
    <Data>
        <OctetString Value="00002B0101FF" />
    </Data>
(11) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Public Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)
(12) .logical_name PASSED
    <Data>
        <OctetString Value="00002B0100FF" />
    </Data>
(13) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="1A9C4581" />
    </Data>

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)
(14) .logical_name PASSED
    <Data>
        <OctetString Value="00002A0000FF" />
    </Data>
(15) .value PASSED
    <Data>
        <OctetString Value="\MAC1000700119927" />
    </Data>

*****
Test Case 6 : Get mngmt attributes, 1127 item(s)
*****

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name PASSED
    <Data>
        <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <OctetString Value="\MAC1000700119927" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Current association 0-0:40.0.0.255 (@9)
(3) .logical_name PASSED
    <Data>
        <OctetString Value="0000280000FF" />
    </Data>
(4) .associated_partners_id PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="01" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(5) .application_context_name PASSED
    <Data>
        <OctetString Value="60857405080101" />
    </Data>

```

```

(6) .xDLMS_context_info                                     PASSED
    <Data>
        <Structure Qty="0006" >
            <BitString Value="000000000001101000011101" />
            <LongUnsigned Value="00C9" />
            <LongUnsigned Value="00C9" />
            <Unsigned Value="06" />
            <Integer Value="00" />
            <OctetString Value="\ " />
        </Structure>
    </Data>

(7) .authentication_mechanism_name                         PASSED
    <Data>
        <OctetString Value="60857405080205" />
    </Data>

(8) .association_status                                    PASSED
    <Data>
        <Enum Value="02" />
    </Data>

(9) .security_setup_reference                              PASSED
    <Data>
        <OctetString Value="00002B0000FF" />
    </Data>

Mngmt Get Security setup 0-0:43.0.0.255 (@24)

(10) .logical_name                                         PASSED
    <Data>
        <OctetString Value="00002B0000FF" />
    </Data>

(11) .security_policy                                      PASSED
    <Data>
        <Enum Value="00" />
    </Data>

(12) .security_suite                                       PASSED
    <Data>
        <Enum Value="00" />
    </Data>

(13) .client_system_title                                  PASSED
    <Data>
        <OctetString Value="4C475A4954000002" />
    </Data>

(14) .server_system_title                                  PASSED
    <Data>
        <OctetString Value="4D4143647001D477" />
    </Data>

Mngmt Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)

(15) .logical_name                                         PASSED
    <Data>
        <OctetString Value="00002B0101FF" />
    </Data>

(16) .value                                                 PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)

(17) .logical_name                                         PASSED
    <Data>
        <OctetString Value="00002B0100FF" />
    </Data>

(18) .value                                                 PASSED
    <Data>
        <DoubleLongUnsigned Value="1A9C479D" />
    </Data>

```

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)

(19) .logical_name PASSED
<Data>
<OctetString Value="00002A0000FF" />
</Data>

(20) .value PASSED
<Data>
<OctetString Value="\MAC1000700119927" />
</Data>

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)

(21) .logical_name PASSED
<Data>
<OctetString Value="0000600100FF" />
</Data>

(22) .value PASSED
<Data>
<OctetString Value="\00119927" />
</Data>

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)

(23) .logical_name PASSED
<Data>
<OctetString Value="0000600101FF" />
</Data>

(24) .value PASSED
<Data>
<OctetString Value="\M&C" />
</Data>

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)

(25) .logical_name PASSED
<Data>
<OctetString Value="0000600102FF" />
</Data>

(26) .value PASSED
<Data>
<OctetString Value="\M&C" />
</Data>

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)

(27) .logical_name PASSED
<Data>
<OctetString Value="0000600103FF" />
</Data>

(28) .value PASSED
<Data>
<OctetString Value="\M&C" />
</Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)

(29) .logical_name PASSED
<Data>
<OctetString Value="0000600104FF" />
</Data>

(30) .value PASSED
<Data>
<OctetString Value="\M&C" />
</Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)

(31) .logical_name PASSED
<Data>
<OctetString Value="0000600105FF" />
</Data>

(32) .value PASSED

```

    <Data>
    <OctetString Value="" />
  </Data>

Mngmt Get Currently active energy tariff 0-0:96.14.0.255 (@70)
(33) .logical_name PASSED
    <Data>
    <OctetString Value="0000600E00FF" />
  </Data>
(34) .value PASSED
    <Data>
    <OctetString Value="0001" />
  </Data>

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(35) .logical_name PASSED
    <Data>
    <OctetString Value="0000010000FF" />
  </Data>
(36) .time PASSED
    <Data>
    <OctetString Value="07DE0203010A2E05FF800000" />
  </Data>
(37) .time_zone PASSED
    <Data>
    <Long Value="FFC4" />
  </Data>
(38) .status PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(39) .daylights_savings_begin PASSED
    <Data>
    <OctetString Value="FFFF03FE07020000008000FF" />
  </Data>
(40) .daylights_savings_end PASSED
    <Data>
    <OctetString Value="FFFF0AFE07030000008000FF" />
  </Data>
(41) .daylights_savings_deviation PASSED
    <Data>
    <Integer Value="3C" />
  </Data>
(42) .daylights_savings_enabled PASSED
    <Data>
    <Bool Value="01" />
  </Data>
(43) .clock_base PASSED
    <Data>
    <Enum Value="01" />
  </Data>

Mngmt Get Local Time 1-0:0.9.1.255 (@86)
(44) .logical_name INAPPLICABLE
    Optional object is not implemented
(45) .value INAPPLICABLE
    Optional object is not implemented

Mngmt Get Local Date 1-0:0.9.2.255 (@90)
(46) .logical_name INAPPLICABLE
    Optional object is not implemented
(47) .value INAPPLICABLE
    Optional object is not implemented

Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(48) .logical_name PASSED

```

```

    <Data>
    <OctetString Value="010000090BFF" />
    </Data>
(49) .value PASSED
    <Data>
    <Unsigned Value="3C" />
    </Data>
(50) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="07" />
    </Structure>
    </Data>

Mngmt Get Activity Calendar 0-0:13.0.0.255 (@100)
(51) .logical_name PASSED
    <Data>
    <OctetString Value="00000D0000FF" />
    </Data>
(52) .calendar_name_active PASSED
    <Data>
    <OctetString Value="\TEST_TOU" />
    </Data>
(53) .season_profile_active PASSED
    <Data>
    <Array Qty="0004" >
    <Structure Qty="0003" >
    <OctetString Value="00" />
    <OctetString Value="FFFF0101FF000000008000FF" />
    <OctetString Value="00" />
    </Structure>
    <Structure Qty="0003" >
    <OctetString Value="01" />
    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
    <OctetString Value="02" />
    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
    <OctetString Value="03" />
    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    <OctetString Value="FF" />
    </Structure>
    </Array>
    </Data>
(54) .week_profile_table_active PASSED
    <Data>
    <Array Qty="0004" >
    <Structure Qty="0008" >
    <OctetString Value="00" />
    <Unsigned Value="00" />
    <Unsigned Value="00" />
    <Unsigned Value="00" />
    <Unsigned Value="00" />
    <Unsigned Value="00" />
    <Unsigned Value="00" />
    <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0008" >
    <OctetString Value="01" />
    <Unsigned Value="FF" />
    <Unsigned Value="FF" />

```



```

        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
    </Structure>
    <Structure Qty="0008" >
        <OctetString Value="02" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
    </Structure>
    <Structure Qty="0008" >
        <OctetString Value="03" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
    </Structure>
</Array>
</Data>
(55) .day_profile_table_active PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Array Qty="0002" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0002" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="08000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>
(56) .calendar_name_passive PASSED
    <Data>
        <OctetString Value="\TEST_TOU" />
    </Data>
(57) .season_profile_passive PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <OctetString Value="00" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="00" />
            </Structure>
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
                <OctetString Value="FF" />
            </Structure>
            <Structure Qty="0003" >

```

```

        <OctetString Value="02" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="03" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
    </Structure>
</Array>
</Data>
(58) .week_profile_table_passive PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0008" >
                <OctetString Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
            </Structure>
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
            </Structure>
            <Structure Qty="0008" >
                <OctetString Value="02" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
            </Structure>
            <Structure Qty="0008" >
                <OctetString Value="03" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
            </Structure>
        </Array>
    </Data>
(59) .day_profile_table_passive PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Array Qty="0002" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0002" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

        </Structure>
        <Structure Qty="0003" >
            <OctetString Value="08000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Array>
</Structure>
</Array>
</Data>
(60) .activate_passive_calendar_time PASSED
    <Data>
        <OctetString Value="07DE011E04101200FF8000FF" />
    </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
(61) .logical_name PASSED
    <Data>
        <OctetString Value="00000B0000FF" />
    </Data>
(62) .entries PASSED
    <_Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <LongUnsigned Value="0000" />
                <OctetString Value="07DC051DFF" />
                <Unsigned Value="00" />
            </Structure>
        </Array>
    </_Data>

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@117)
(63) .logical_name PASSED
    <Data>
        <OctetString Value="00000E0001FF" />
    </Data>
(64) .register_assignment PASSED
    <_Data>
        <Array Qty="0020" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010800FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100020800FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100030800FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100040800FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100050800FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100060800FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100070800FF" />
            </Structure>
        </Array>
    </_Data>

```

```
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000A0800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100100800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010803FF" />
</Structure>
<Structure Qty="0002" >
```

```

        <LongUnsigned Value="0003" />
        <OctetString Value="0100020803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100030803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100040803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="01000F0803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100030804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100040804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="01000F0804FF" />
    </Structure>
</Array>
</_Data>
(65) .mask_list
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="0001" />
                <Array Qty="0011" >
                    <Unsigned Value="01" />
                    <Unsigned Value="02" />
                    <Unsigned Value="03" />
                    <Unsigned Value="04" />
                    <Unsigned Value="05" />
                    <Unsigned Value="06" />
                    <Unsigned Value="07" />
                    <Unsigned Value="08" />
                    <Unsigned Value="09" />
                    <Unsigned Value="0A" />
                    <Unsigned Value="0B" />
                    <Unsigned Value="0C" />
                    <Unsigned Value="0D" />
                    <Unsigned Value="0E" />
                    <Unsigned Value="0F" />
                    <Unsigned Value="10" />
                    <Unsigned Value="11" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="0002" />
                <Array Qty="0011" >
                    <Unsigned Value="01" />

```

PASSED

```
<Unsigned Value="02" />
<Unsigned Value="03" />
<Unsigned Value="04" />
<Unsigned Value="05" />
<Unsigned Value="06" />
<Unsigned Value="07" />
<Unsigned Value="08" />
<Unsigned Value="09" />
<Unsigned Value="0A" />
<Unsigned Value="0B" />
<Unsigned Value="0C" />
<Unsigned Value="12" />
<Unsigned Value="13" />
<Unsigned Value="14" />
<Unsigned Value="15" />
<Unsigned Value="16" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    <Unsigned Value="17" />
    <Unsigned Value="18" />
    <Unsigned Value="19" />
    <Unsigned Value="1A" />
    <Unsigned Value="1B" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    <Unsigned Value="1C" />
    <Unsigned Value="1D" />
    <Unsigned Value="1E" />
    <Unsigned Value="1F" />
    <Unsigned Value="20" />
  </Array>
</Structure>
</Array>
</Data>
(66) .active_mask
<Data>
```

PASSED

```

    <OctetString Value="0001" />
  </Data>

```

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

(67) .logical_name PASSED

```

    <Data>
      <OctetString Value="00000E0002FF" />
    </Data>

```

(68) .register_assignment PASSED

```

    <_Data>
      <Array Qty="0014" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100010600FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100020600FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100030600FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100040600FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100010601FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100020601FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100030601FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100040601FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100010602FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100020602FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100030602FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100040602FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100010603FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0100020603FF" />
        </Structure>
      </Array>
    </_Data>

```

```

</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040604FF" />
</Structure>
</Array>
</_Data>
(69) .mask_list
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="0001" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="05" />
        <Unsigned Value="06" />
        <Unsigned Value="07" />
        <Unsigned Value="08" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0002" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="09" />
        <Unsigned Value="0A" />
        <Unsigned Value="0B" />
        <Unsigned Value="0C" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0003" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="0D" />
        <Unsigned Value="0E" />
        <Unsigned Value="0F" />
      </Array>
    </Structure>
  </Array>

```

PASSED


```

        <Unsigned Value="10" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0004" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="11" />
        <Unsigned Value="12" />
        <Unsigned Value="13" />
        <Unsigned Value="14" />
      </Array>
    </Structure>
  </Array>
</Data>
(70) .active_mask PASSED
  <Data>
    <OctetString Value="0001" />
  </Data>

Mngmt Get Tariffication script table 0-0:10.0.100.255 (@129)
(71) .logical_name PASSED
  <Data>
    <OctetString Value="00000A0064FF" />
  </Data>
(72) .scripts PASSED
  <_Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0001" />
        <Array Qty="0003" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0001" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="0001" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="01" />
            <Integer Value="00" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0002" />
        <Array Qty="0003" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0002" />
          </Structure>
        </Array>
      </Structure>
    </Array>
  </Data>

```

```

</Structure>
<Structure Qty="0005" >
  <Enum Value="01" />
  <LongUnsigned Value="0006" />
  <OctetString Value="00000E0002FF" />
  <Integer Value="04" />
  <OctetString Value="0002" />
</Structure>
<Structure Qty="0005" >
  <Enum Value="02" />
  <LongUnsigned Value="0046" />
  <OctetString Value="000160030AFF" />
  <Integer Value="02" />
  <Integer Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="0003" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="0003" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="0004" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="0004" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>

```

```

        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Predefined Scripts - MDI reset / end of billing period 0-0:10.0.1.255 (@135)
 (73) .logical_name PASSED

```

    <Data>
        <OctetString Value="00000A0001FF" />
    </Data>

```

(74) .scripts INAPPLICABLE
 Optional access right not available

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(75) .logical_name PASSED

```

    <Data>
        <OctetString Value="00000F0000FF" />
    </Data>

```

(76) .executed_script PASSED

```

    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A0001FF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>

```

(77) .type PASSED

```

    <Data>
        <Enum Value="01" />
    </Data>

```

(78) .execution_time PASSED

```

    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="00000000" />
                <OctetString Value="FFFFFF01FF" />
            </Structure>
        </Array>
    </Data>

```

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)

(79) .logical_name PASSED

```

    <Data>
        <OctetString Value="0000620100FF" />
    </Data>

```

(80) .capture_objects PASSED

```

    <Data>
        <Array Qty="0005" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100020801FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100020802FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(81) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(82) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(83) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(84) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000C" />
    </Data>
(85) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="000000C3" />
    </Data>

Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@158)
(86) .logical_name PASSED
    <Data>
        <OctetString Value="00000F0001FF" />
    </Data>
(87) .executed_script PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0002" />
        </Structure>
    </Data>
(88) .type PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(89) .execution_time PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Mngmt Get Disconnect script table 0-0:10.0.106.255 (@164)
(90) .logical_name PASSED
    <Data>
        <OctetString Value="00000A006AFF" />

```

```

    </Data>
(91) .scripts                                     PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="01" />
                        <Integer Value="00" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="02" />
                        <Integer Value="00" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

Mngmt Get Disconnect control 0-0:96.3.10.255 (@169)
(92) .logical_name                               PASSED
    <Data>
        <OctetString Value="000060030AFF" />
    </Data>
(93) .output_state                               PASSED
    <Data>
        <Bool Value="01" />
    </Data>
(94) .control_state                              PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(95) .control_mode                               PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Get Event Object - Disconnect Control log 0-0:96.11.2.255 (@177)
(96) .logical_name                               PASSED
    <Data>
        <OctetString Value="0000600B02FF" />
    </Data>
(97) .value                                       PASSED
    <Data>
        <Enum Value="43" />
    </Data>

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)
(98) .logical_name                               PASSED
    <Data>
        <OctetString Value="0000636202FF" />
    </Data>
(99) .capture_objects                            PASSED
    <Data>

```

```

    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0047" />
        <OctetString Value="0000110000FF" />
        <Integer Value="03" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(100) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(101) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(102) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(103) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="00000041" />
  </Data>
(104) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="00000174" />
  </Data>

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@192)
(105) .logical_name PASSED
  <Data>
    <OctetString Value="00000A0067FF" />
  </Data>
(106) .scripts PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0001" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="000160030AFF" />
          <Integer Value="01" />
          <Integer Value="00" />
        </Structure>
      </Array>
    </Array>
  </Data>

```

```

</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0002" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000260030AFF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000260030AFF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
</Array>
</Data>

```

Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

(107)	.logical_name	PASSED
	<Data>	
	<OctetString Value="000160030AFF" />	
	</Data>	
(108)	.output_state	PASSED
	<Data>	
	<Bool Value="00" />	
	</Data>	
(109)	.control_state	PASSED
	<Data>	
	<Enum Value="00" />	
	</Data>	
(110)	.control_mode	PASSED
	<Data>	
	<Enum Value="06" />	
	</Data>	

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

(111)	.logical_name	PASSED
	<Data>	
	<OctetString Value="000260030AFF" />	
	</Data>	
(112)	.output_state	PASSED
	<Data>	
	<Bool Value="00" />	

```

    </Data>
(113) .control_state PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(114) .control_mode PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Get Limiter 0-0:17.0.0.255 (@213)
(115) .logical_name PASSED
    <Data>
        <OctetString Value="0000110000FF" />
    </Data>
(116) .monitored_value PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01005A0700FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(117) .threshold_active PASSED
    <Data>
        <LongUnsigned Value="4268" />
    </Data>
(118) .threshold_normal PASSED
    <Data>
        <LongUnsigned Value="4268" />
    </Data>
(119) .threshold_emergency PASSED
    <Data>
        <LongUnsigned Value="2134" />
    </Data>
(120) .min_over_threshold_duration PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B4" />
    </Data>
(121) .min_under_threshold_duration PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B4" />
    </Data>
(122) .emergency_profile PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="07DB040DFF0E1000008000FF" />
            <DoubleLongUnsigned Value="0000003C" />
        </Structure>
    </Data>
(123) .emergency_profile_group_id_list PASSED
    <Data>
        <Array Qty="0003" >
            <LongUnsigned Value="0005" />
            <LongUnsigned Value="0006" />
            <LongUnsigned Value="0007" />
        </Array>
    </Data>
(124) .emergency_profile_active PASSED
    <Data>
        <Bool Value="00" />
    </Data>
(125) .actions PASSED
    <Data>
        <Structure Qty="0002" >

```



```

    <Structure Qty="0002" >
      <OctetString Value="00000A006AFF" />
      <LongUnsigned Value="0001" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="00000A006AFF" />
      <LongUnsigned Value="0002" />
    </Structure>
  </Data>

```

Mngmt Get Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@226)

(126) .logical_name PASSED

```

  <Data>
    <OctetString Value="01001F0400FF" />
  </Data>

```

(127) .thresholds PASSED

```

  <Data>
    <Array Qty="0001" >
      <DoubleLongUnsigned Value="00000078" />
    </Array>
  </Data>

```

(128) .monitored_value PASSED

```

  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0005" />
      <OctetString Value="01001F0400FF" />
      <Integer Value="02" />
    </Structure>
  </Data>

```

(129) .actions PASSED

```

  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Structure>
    </Array>
  </Data>

```

Mngmt Get Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@232)

(130) .logical_name INAPPLICABLE

Object is not required according to OM and/or extensions

(131) .thresholds INAPPLICABLE

Object is not required according to OM and/or extensions

(132) .monitored_value INAPPLICABLE

Object is not required according to OM and/or extensions

(133) .actions INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@238)

(134) .logical_name INAPPLICABLE

Object is not required according to OM and/or extensions

(135) .thresholds INAPPLICABLE

Object is not required according to OM and/or extensions

(136) .monitored_value INAPPLICABLE

Object is not required according to OM and/or extensions

(137) .actions INAPPLICABLE

Object is not required according to OM and/or extensions

```

Mngmt Get Error Register 0-0:97.97.0.255 (@245)
(138) .logical_name PASSED
      <Data>
        <OctetString Value="0000616100FF" />
      </Data>
(139) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="01000000" />
      </Data>

Mngmt Get Alarm Register 0-0:97.98.0.255 (@249)
(140) .logical_name PASSED
      <Data>
        <OctetString Value="0000616200FF" />
      </Data>
(141) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00002000" />
      </Data>

Mngmt Get Alarm Filter 0-0:97.98.10.255 (@253)
(142) .logical_name PASSED
      <Data>
        <OctetString Value="000061620AFF" />
      </Data>
(143) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="FFFFFFFF" />
      </Data>

Mngmt Get Event Object - Standard Event Log 0-0:96.11.0.255 (@257)
(144) .logical_name PASSED
      <Data>
        <OctetString Value="0000600B00FF" />
      </Data>
(145) .value PASSED
      <Data>
        <Enum Value="30" />
      </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(146) .logical_name PASSED
      <Data>
        <OctetString Value="0000636200FF" />
      </Data>
(147) .capture_objects PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600B00FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(148) .capture_period PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

```

(149)	.sort_method	PASSED
	<Data>	
	<Enum Value="01" />	
	</Data>	
(150)	.sort_object	PASSED
	<Data>	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0008" />	
	<OctetString Value="0000010000FF" />	
	<Integer Value="02" />	
	<LongUnsigned Value="0000" />	
	</Structure>	
	</Data>	
(151)	.entries_in_use	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000249" />	
	</Data>	
(152)	.profile_entries	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000249" />	
	</Data>	
Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255 (@272)		
(153)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0000600B01FF" />	
	</Data>	
(154)	.value	PASSED
	<Data>	
	<Enum Value="32" />	
	</Data>	
Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)		
(155)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0000636201FF" />	
	</Data>	
(156)	.capture_objects	PASSED
	<Data>	
	<Array Qty="0002" >	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0008" />	
	<OctetString Value="0000010000FF" />	
	<Integer Value="02" />	
	<LongUnsigned Value="0000" />	
	</Structure>	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0001" />	
	<OctetString Value="0000600B01FF" />	
	<Integer Value="02" />	
	<LongUnsigned Value="0000" />	
	</Structure>	
	</Array>	
	</Data>	
(157)	.capture_period	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(158)	.sort_method	PASSED
	<Data>	
	<Enum Value="01" />	
	</Data>	
(159)	.sort_object	PASSED
	<Data>	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0008" />	


```

    <Data>
    <OctetString Value="\V010325" />
  </Data>

Mngmt Get Active firmware version signature 1-0:0.2.8.255 (@325)
(181) .logical_name PASSED
    <Data>
    <OctetString Value="0100000208FF" />
  </Data>
(182) .value PASSED
    <Data>
    <OctetString Value="\11B2147E" />
  </Data>

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)
(183) .logical_name INAPPLICABLE
    Optional object is not implemented
(184) .value INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255 (@333)
(185) .logical_name INAPPLICABLE
    Optional object is not implemented
(186) .value INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)
(187) .logical_name INAPPLICABLE
    Optional object is not implemented
(188) .value INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255 (@341)
(189) .logical_name INAPPLICABLE
    Optional object is not implemented
(190) .value INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)
(191) .logical_name PASSED
    <Data>
    <OctetString Value="0100010800FF" />
  </Data>
(192) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="000000CF" />
  </Data>
(193) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)
(194) .logical_name PASSED
    <Data>
    <OctetString Value="0100020800FF" />
  </Data>
(195) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(196) .scaler_unit PASSED
    <Data>

```

```

        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy (|+A|+|-A|)
Combined total 1-0:15.8.0.255 (@358)
(197) .logical_name PASSED
    <Data>
        <OctetString Value="01000F0800FF" />
    </Data>
(198) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="000000CF" />
    </Data>
(199) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy (|+A|+|-A|)
Combined total 1-0:16.8.0.255 (@364)
(200) .logical_name PASSED
    <Data>
        <OctetString Value="0100100800FF" />
    </Data>
(201) .value PASSED
    <Data>
        <DoubleLong Value="000000CF" />
    </Data>
(202) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@370)
(203) .logical_name PASSED
    <Data>
        <OctetString Value="0100050800FF" />
    </Data>
(204) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002A" />
    </Data>
(205) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@376)
(206) .logical_name PASSED
    <Data>
        <OctetString Value="0100060800FF" />
    </Data>
(207) .value PASSED
    <Data>

```

```

        <DoubleLongUnsigned Value="00000000" />
    </Data>
(208) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@382)
(209) .logical_name PASSED
    <Data>
        <OctetString Value="0100070800FF" />
    </Data>
(210) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(211) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@388)
(212) .logical_name PASSED
    <Data>
        <OctetString Value="0100080800FF" />
    </Data>
(213) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(214) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy import (+R)
(QI+QII) 1-0:3.8.0.255 (@394)
(215) .logical_name PASSED
    <Data>
        <OctetString Value="0100030800FF" />
    </Data>
(216) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002A" />
    </Data>
(217) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy export (-R)
(QIII+QIV) 1-0:4.8.0.255 (@400)
(218) .logical_name PASSED
    <Data>

```



```

        <OctetString Value="0100040800FF" />
    </Data>
(219) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(220) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA)
(QI+QIV) 1-0:9.8.0.255 (@406)
(221) .logical_name                             INAPPLICABLE
    Optional object is not implemented
(222) .value                                     INAPPLICABLE
    Optional object is not implemented
(223) .scaler_unit                             INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA)
(QII+QIII) 1-0:10.8.0.255 (@412)
(224) .logical_name                             INAPPLICABLE
    Optional object is not implemented
(225) .value                                     INAPPLICABLE
    Optional object is not implemented
(226) .scaler_unit                             INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@419)
(227) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100010801FF" />
    </Data>
(228) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="000000CF" />
    </Data>
(229) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@425)
(230) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100010802FF" />
    </Data>
(231) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(232) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

```

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@431)	
(233) .logical_name	PASSED
<Data>	
<OctetString Value="0100010803FF" />	
</Data>	
(234) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(235) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1E" />	
</Structure>	
</Data>	
Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@437)	
(236) .logical_name	PASSED
<Data>	
<OctetString Value="0100010804FF" />	
</Data>	
(237) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(238) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1E" />	
</Structure>	
</Data>	
Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@443)	
(239) .logical_name	PASSED
<Data>	
<OctetString Value="0100020801FF" />	
</Data>	
(240) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(241) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1E" />	
</Structure>	
</Data>	
Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@449)	
(242) .logical_name	PASSED
<Data>	
<OctetString Value="0100020802FF" />	
</Data>	
(243) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(244) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1E" />	
</Structure>	

```

    </Data>

Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@455)
(245) .logical_name PASSED
    <Data>
        <OctetString Value="0100020803FF" />
    </Data>
(246) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(247) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@461)
(248) .logical_name PASSED
    <Data>
        <OctetString Value="0100020804FF" />
    </Data>
(249) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(250) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@467)
(251) .logical_name PASSED
    <Data>
        <OctetString Value="0100030801FF" />
    </Data>
(252) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002A" />
    </Data>
(253) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@473)
(254) .logical_name PASSED
    <Data>
        <OctetString Value="0100030802FF" />
    </Data>
(255) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(256) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />

```

```

        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@479)
(257) .logical_name PASSED
      <Data>
        <OctetString Value="0100030803FF" />
      </Data>
(258) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(259) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@485)
(260) .logical_name PASSED
      <Data>
        <OctetString Value="0100030804FF" />
      </Data>
(261) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(262) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@491)
(263) .logical_name PASSED
      <Data>
        <OctetString Value="0100040801FF" />
      </Data>
(264) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(265) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@497)
(266) .logical_name PASSED
      <Data>
        <OctetString Value="0100040802FF" />
      </Data>
(267) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(268) .scaler_unit PASSED
      <Data>

```

```

        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@503)
(269) .logical_name PASSED
    <Data>
        <OctetString Value="0100040803FF" />
    </Data>
(270) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(271) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@509)
(272) .logical_name PASSED
    <Data>
        <OctetString Value="0100040804FF" />
    </Data>
(273) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(274) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@515)
(275) .logical_name PASSED
    <Data>
        <OctetString Value="0100050801FF" />
    </Data>
(276) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002A" />
    </Data>
(277) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@521)
(278) .logical_name PASSED
    <Data>
        <OctetString Value="0100050802FF" />
    </Data>
(279) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

```

(280)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt	Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@527)	
(281)	.logical_name <Data> <OctetString Value="0100050803FF" /> </Data>	PASSED
(282)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(283)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt	Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@533)	
(284)	.logical_name <Data> <OctetString Value="0100050804FF" /> </Data>	PASSED
(285)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(286)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt	Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@539)	
(287)	.logical_name <Data> <OctetString Value="0100060801FF" /> </Data>	PASSED
(288)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(289)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt	Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@545)	
(290)	.logical_name <Data> <OctetString Value="0100060802FF" /> </Data>	PASSED
(291)	.value <Data>	PASSED

```

        <DoubleLongUnsigned Value="00000000" />
    </Data>
(292) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@551)
(293) .logical_name PASSED
    <Data>
        <OctetString Value="0100060803FF" />
    </Data>
(294) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(295) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@557)
(296) .logical_name PASSED
    <Data>
        <OctetString Value="0100060804FF" />
    </Data>
(297) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(298) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@563)
(299) .logical_name PASSED
    <Data>
        <OctetString Value="0100070801FF" />
    </Data>
(300) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(301) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@569)
(302) .logical_name PASSED
    <Data>
        <OctetString Value="0100070802FF" />
    </Data>

```

(303)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(304)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@575)		
(305)	.logical_name <Data> <OctetString Value="0100070803FF" /> </Data>	PASSED
(306)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(307)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@581)		
(308)	.logical_name <Data> <OctetString Value="0100070804FF" /> </Data>	PASSED
(309)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(310)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@587)		
(311)	.logical_name <Data> <OctetString Value="0100080801FF" /> </Data>	PASSED
(312)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(313)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@593)		
(314)	.logical_name <Data>	PASSED


```

        <OctetString Value="0100080802FF" />
    </Data>
(315) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(316) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@599)
(317) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100080803FF" />
    </Data>
(318) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(319) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@605)
(320) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100080804FF" />
    </Data>
(321) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(322) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@611)
(323) .logical_name                             INAPPLICABLE
    Optional object is not implemented
(324) .value                                     INAPPLICABLE
    Optional object is not implemented
(325) .scaler_unit                               INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255 (@617)
(326) .logical_name                             INAPPLICABLE
    Optional object is not implemented
(327) .value                                     INAPPLICABLE
    Optional object is not implemented
(328) .scaler_unit                               INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255 (@623)
(329) .logical_name                             INAPPLICABLE

```

Optional object is not implemented	
(330) .value	INAPPLICABLE
Optional object is not implemented	
(331) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255 (@629)	
(332) .logical_name	INAPPLICABLE
Optional object is not implemented	
(333) .value	INAPPLICABLE
Optional object is not implemented	
(334) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255 (@635)	
(335) .logical_name	INAPPLICABLE
Optional object is not implemented	
(336) .value	INAPPLICABLE
Optional object is not implemented	
(337) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255 (@641)	
(338) .logical_name	INAPPLICABLE
Optional object is not implemented	
(339) .value	INAPPLICABLE
Optional object is not implemented	
(340) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255 (@647)	
(341) .logical_name	INAPPLICABLE
Optional object is not implemented	
(342) .value	INAPPLICABLE
Optional object is not implemented	
(343) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255 (@653)	
(344) .logical_name	INAPPLICABLE
Optional object is not implemented	
(345) .value	INAPPLICABLE
Optional object is not implemented	
(346) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Active energy Combined total (+A + -A) rate 1 1-0:15.8.1.255 (@659)	
(347) .logical_name	PASSED
<Data>	
<OctetString Value="01000F0801FF" />	
</Data>	
(348) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="000000CF" />	
</Data>	
(349) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1E" />	
</Structure>	
</Data>	
Mngmt Get Active energy Combined total (+A + -A) rate 2 1-0:15.8.2.255 (@665)	
(350) .logical_name	PASSED
<Data>	

```

        <OctetString Value="01000F0802FF" />
    </Data>
(351) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(352) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 3 1-0:15.8.3.255 (@671)
(353) .logical_name                             PASSED
    <Data>
        <OctetString Value="01000F0803FF" />
    </Data>
(354) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(355) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 4 1-0:15.8.4.255 (@677)
(356) .logical_name                             PASSED
    <Data>
        <OctetString Value="01000F0804FF" />
    </Data>
(357) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(358) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@684)
(359) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100010400FF" />
    </Data>
(360) .current_average_value                   PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(361) .last_average_value                       PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(362) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

```

```

        </Structure>
    </Data>
(363) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(364) .capture_time PASSED
    <Data>
        <OctetString Value="07DE0203010A2D0000800000" />
    </Data>
(365) .start_time_current PASSED
    <Data>
        <OctetString Value="07DE0203010A1E0000800000" />
    </Data>
(366) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(367) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@697)
(368) .logical_name PASSED
    <Data>
        <OctetString Value="0100020400FF" />
    </Data>
(369) .current_average_value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(370) .last_average_value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(371) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(372) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(373) .capture_time PASSED
    <Data>
        <OctetString Value="07DE0203010B000000800000" />
    </Data>
(374) .start_time_current PASSED
    <Data>
        <OctetString Value="07DE0203010A2D0000800000" />
    </Data>
(375) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(376) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@710)
(377) .logical_name PASSED

```

	<pre> <Data> <OctetString Value="0100030400FF" /> </Data> </pre>	
(378)	.current_average_value	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(379)	.last_average_value	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(380)	.scaler_unit	PASSED
	<pre> <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1D" /> </Structure> </Data> </pre>	
(381)	.status	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(382)	.capture_time	PASSED
	<pre> <Data> <OctetString Value="07DE0203010B000000800000" /> </Data> </pre>	
(383)	.start_time_current	PASSED
	<pre> <Data> <OctetString Value="07DE0203010A2D0000800000" /> </Data> </pre>	
(384)	.period	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000384" /> </Data> </pre>	
(385)	.number_of_periods	PASSED
	<pre> <Data> <LongUnsigned Value="0001" /> </Data> </pre>	
Mngmt Get Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@723)		
(386)	.logical_name	PASSED
	<pre> <Data> <OctetString Value="0100040400FF" /> </Data> </pre>	
(387)	.current_average_value	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(388)	.last_average_value	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(389)	.scaler_unit	PASSED
	<pre> <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1D" /> </Structure> </Data> </pre>	
(390)	.status	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(391)	.capture_time	PASSED
	<pre> <Data> <OctetString Value="07DE0203010B000000800000" /> </pre>	

```

    </Data>
(392) .start_time_current PASSED
    <Data>
        <OctetString Value="07DE0203010A2D0000800000" />
    </Data>
(393) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(394) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255 (@736)
(395) .logical_name PASSED
    <Data>
        <OctetString Value="0100090400FF" />
    </Data>
(396) .current_average_value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(397) .last_average_value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(398) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(399) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(400) .capture_time PASSED
    <Data>
        <OctetString Value="07DE0203010B000000800000" />
    </Data>
(401) .start_time_current PASSED
    <Data>
        <OctetString Value="07DE0203010A2D0000800000" />
    </Data>
(402) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(403) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255 (@749)
(404) .logical_name PASSED
    <Data>
        <OctetString Value="01000A0400FF" />
    </Data>
(405) .current_average_value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(406) .last_average_value PASSED
    <Data>

```

```

        <DoubleLongUnsigned Value="00000000" />
    </Data>
(407) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(408) .status                                           PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(409) .capture_time                                     PASSED
    <Data>
        <OctetString Value="07DE0203010B000000800000" />
    </Data>
(410) .start_time_current                               PASSED
    <Data>
        <OctetString Value="07DE0203010A2D0000800000" />
    </Data>
(411) .period                                           PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(412) .number_of_periods                               PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Last Average Demand Register 1 - Active energy import (+A) 1-0:1.5.0.255 (@762)
(413) .logical_name                                     INAPPLICABLE
    Optional object is not implemented
(414) .value                                             INAPPLICABLE
    Optional object is not implemented
(415) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented
(416) .status                                           INAPPLICABLE
    Optional object is not implemented
(417) .capture_time                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Last Average Demand Register 2 - Active energy export (-A) 1-0:2.5.0.255 (@770)
(418) .logical_name                                     INAPPLICABLE
    Optional object is not implemented
(419) .value                                             INAPPLICABLE
    Optional object is not implemented
(420) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented
(421) .status                                           INAPPLICABLE
    Optional object is not implemented
(422) .capture_time                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Last Average Demand Register 3 - Reactive energy import (+R) 1-0:3.5.0.255 (@778)
(423) .logical_name                                     INAPPLICABLE
    Optional object is not implemented
(424) .value                                             INAPPLICABLE
    Optional object is not implemented
(425) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented
(426) .status                                           INAPPLICABLE
    Optional object is not implemented
(427) .capture_time                                     INAPPLICABLE
    Optional object is not implemented

```

```

Mngmt Get Last Average Demand Register 4 - Reactive energy export (-R) 1-0:4.5.0.255 (@786)
(428) .logical_name INAPPLICABLE
Optional object is not implemented
(429) .value INAPPLICABLE
Optional object is not implemented
(430) .scaler_unit INAPPLICABLE
Optional object is not implemented
(431) .status INAPPLICABLE
Optional object is not implemented
(432) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Last Average Demand Register 5 - Apparent energy import (+VA) 1-0:9.5.0.255 (@794)
(433) .logical_name INAPPLICABLE
Optional object is not implemented
(434) .value INAPPLICABLE
Optional object is not implemented
(435) .scaler_unit INAPPLICABLE
Optional object is not implemented
(436) .status INAPPLICABLE
Optional object is not implemented
(437) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Last Average Demand Register 6 - Apparent energy export (-VA) 1-0:10.5.0.255 (@802)
(438) .logical_name INAPPLICABLE
Optional object is not implemented
(439) .value INAPPLICABLE
Optional object is not implemented
(440) .scaler_unit INAPPLICABLE
Optional object is not implemented
(441) .status INAPPLICABLE
Optional object is not implemented
(442) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 1 - Active energy import (+A) 1-0:1.6.0.255 (@810)
(443) .logical_name PASSED
<Data>
  <OctetString Value="0100010600FF" />
</Data>
(444) .value PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(445) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
(446) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(447) .capture_time PASSED
<Data>
  <OctetString Value="07DE0203010B000000800000" />
</Data>

Mngmt Get Maximum Demand Register 2 - Active energy import (+A) - rate 1 1-0:1.6.1.255 (@818)
(448) .logical_name PASSED
<Data>
  <OctetString Value="0100010601FF" />
</Data>

```



```

(449) .value                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(450) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(451) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(452) .capture_time                              PASSED
      <Data>
        <OctetString Value="07DE0203010B000000800000" />
      </Data>

```

Mngmt Get Maximum Demand Register 3 - Active energy import (+A) - rate 2 1-0:1.6.2.255 (@826)

```

(453) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100010602FF" />
      </Data>
(454) .value                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(455) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(456) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(457) .capture_time                              PASSED
      <Data>
        <OctetString Value="07DE020301080F0000800000" />
      </Data>

```

Mngmt Get Maximum Demand Register 4 - Active energy import (+A) - rate 3 1-0:1.6.3.255 (@834)

```

(458) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100010603FF" />
      </Data>
(459) .value                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(460) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(461) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(462) .capture_time                              PASSED

```

```

    <Data>
    <OctetString Value="07DE0203010A0F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 5 - Active energy import (+A) - rate 4 1-0:1.6.4.255 (@842)
(463) .logical_name PASSED
    <Data>
    <OctetString Value="0100010604FF" />
    </Data>
(464) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
    </Data>
(465) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
    </Structure>
    </Data>
(466) .status PASSED
    <Data>
    <Unsigned Value="00" />
    </Data>
(467) .capture_time PASSED
    <Data>
    <OctetString Value="07DE020207100F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 6 - Active energy export (-A) 1-0:2.6.0.255 (@850)
(468) .logical_name PASSED
    <Data>
    <OctetString Value="0100020600FF" />
    </Data>
(469) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
    </Data>
(470) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
    </Structure>
    </Data>
(471) .status PASSED
    <Data>
    <Unsigned Value="00" />
    </Data>
(472) .capture_time PASSED
    <Data>
    <OctetString Value="07DE0203010B000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 7 - Active energy export (-A) - rate 1 1-0:2.6.1.255 (@858)
(473) .logical_name PASSED
    <Data>
    <OctetString Value="0100020601FF" />
    </Data>
(474) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
    </Data>
(475) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >

```

```

        <Integer Value="00" />
        <Enum Value="1B" />
    </Structure>
</Data>
(476) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(477) .capture_time PASSED
    <Data>
        <OctetString Value="07DE0203010B000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 8 - Active energy export (-A) - rate 2 1-0:2.6.2.255 (@866)
(478) .logical_name PASSED
    <Data>
        <OctetString Value="0100020602FF" />
    </Data>
(479) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(480) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(481) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(482) .capture_time PASSED
    <Data>
        <OctetString Value="07DE020301080F000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 9 - Active energy export (-A) - rate 3 1-0:2.6.3.255 (@874)
(483) .logical_name PASSED
    <Data>
        <OctetString Value="0100020603FF" />
    </Data>
(484) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(485) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(486) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(487) .capture_time PASSED
    <Data>
        <OctetString Value="07DE0203010A0F000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 10 - Active energy export (-A) - rate 4 1-0:2.6.4.255 (@882)
(488) .logical_name PASSED
    <Data>

```

```

        <OctetString Value="0100020604FF" />
    </Data>
(489) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(490) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(491) .status                                     PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(492) .capture_time                             PASSED
    <Data>
        <OctetString Value="07DE020207100F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 11 - Reactive energy import (+R) 1-0:3.6.0.255 (@890)
(493) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100030600FF" />
    </Data>
(494) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(495) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(496) .status                                     PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(497) .capture_time                             PASSED
    <Data>
        <OctetString Value="07DE0203010B000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 12 - Reactive energy import (+R) - rate 1 1-0:3.6.1.255
(@898)
(498) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100030601FF" />
    </Data>
(499) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(500) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(501) .status                                     PASSED
    <Data>

```

```

        <Unsigned Value="00" />
    </Data>
(502) .capture_time                                     PASSED
    <Data>
        <OctetString Value="07DE0203010B000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 13 - Reactive energy import (+R) - rate 2 1-0:3.6.2.255
(@906)
(503) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100030602FF" />
    </Data>
(504) .value                                             PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(505) .scaler_unit                                       PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(506) .status                                             PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(507) .capture_time                                     PASSED
    <Data>
        <OctetString Value="07DE020301080F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 14 - Reactive energy import (+R) - rate 3 1-0:3.6.3.255
(@914)
(508) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100030603FF" />
    </Data>
(509) .value                                             PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(510) .scaler_unit                                       PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(511) .status                                             PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(512) .capture_time                                     PASSED
    <Data>
        <OctetString Value="07DE0203010A0F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 15 - Reactive energy import (+R) - rate 4 1-0:3.6.4.255
(@922)
(513) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100030604FF" />
    </Data>
(514) .value                                             PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(515) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(516) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(517) .capture_time PASSED
    <Data>
      <OctetString Value="07DE020207100F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 16 - Reactive energy export (-R) 1-0:4.6.0.255 (@930)
(518) .logical_name PASSED
    <Data>
      <OctetString Value="0100040600FF" />
    </Data>
(519) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(520) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(521) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(522) .capture_time PASSED
    <Data>
      <OctetString Value="07DE0203010B000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 17 - Reactive energy export (-R) - rate 1 1-0:4.6.1.255
(@938)
(523) .logical_name PASSED
    <Data>
      <OctetString Value="0100040601FF" />
    </Data>
(524) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(525) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(526) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(527) .capture_time PASSED

```

```

<Data>
  <OctetString Value="07DE0203010B000000800000" />
</Data>

```

Mngmt Get Maximum Demand Register 18 - Reactive energy export (-R) - rate 2 1-0:4.6.2.255 (@946)

```

(528) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100040602FF" />
      </Data>
(529) .value                                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(530) .scaler_unit                                       PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(531) .status                                             PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(532) .capture_time                                       PASSED
      <Data>
        <OctetString Value="07DE020301080F0000800000" />
      </Data>

```

Mngmt Get Maximum Demand Register 19 - Reactive energy export (-R) - rate 3 1-0:4.6.3.255 (@954)

```

(533) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100040603FF" />
      </Data>
(534) .value                                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(535) .scaler_unit                                       PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(536) .status                                             PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(537) .capture_time                                       PASSED
      <Data>
        <OctetString Value="07DE0203010A0F0000800000" />
      </Data>

```

Mngmt Get Maximum Demand Register 20 - Reactive energy export (-R) - rate 4 1-0:4.6.4.255 (@962)

```

(538) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100040604FF" />
      </Data>
(539) .value                                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

```

```

(540) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(541) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(542) .capture_time                                     PASSED
      <Data>
        <OctetString Value="07DE020207100F00000800000" />
      </Data>

Mngmt Get Maximum Demand Register 21 - Apparent energy import (+VA) 1-0:9.6.0.255 (@970)
(543) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100090600FF" />
      </Data>
(544) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(545) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(546) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(547) .capture_time                                     PASSED
      <Data>
        <OctetString Value="07DE0203010B0000000800000" />
      </Data>

Mngmt Get Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1 1-0:9.6.1.255
(@978)
(548) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100090601FF" />
      </Data>
(549) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(550) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(551) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(552) .capture_time                                     PASSED
      <Data>
        <OctetString Value="07DE0203010B0000000800000" />
      </Data>

```


Mngmt Get Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2 1-0:9.6.2.255
 (@986)

(553)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0100090602FF" />	
	</Data>	
(554)	.value	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(555)	.scaler_unit	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<Integer Value="00" />	
	<Enum Value="1C" />	
	</Structure>	
	</Data>	
(556)	.status	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(557)	.capture_time	PASSED
	<Data>	
	<OctetString Value="07DE020301080F0000800000" />	
	</Data>	

Mngmt Get Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3 1-0:9.6.3.255
 (@994)

(558)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0100090603FF" />	
	</Data>	
(559)	.value	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(560)	.scaler_unit	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<Integer Value="00" />	
	<Enum Value="1C" />	
	</Structure>	
	</Data>	
(561)	.status	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(562)	.capture_time	PASSED
	<Data>	
	<OctetString Value="07DE0203010A0F0000800000" />	
	</Data>	

Mngmt Get Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4 1-0:9.6.4.255
 (@1002)

(563)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0100090604FF" />	
	</Data>	
(564)	.value	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(565)	.scaler_unit	PASSED
	<Data>	
	<Structure Qty="0002" >	

```

        <Integer Value="00" />
        <Enum Value="1C" />
    </Structure>
</Data>
(566) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(567) .capture_time PASSED
    <Data>
        <OctetString Value="07DE020207100F0000800000" />
    </Data>

Mngmt Get Maximum Demand Register 26 - Apparent energy export (-VA) 1-0:10.6.0.255 (@1010)
(568) .logical_name PASSED
    <Data>
        <OctetString Value="01000A0600FF" />
    </Data>
(569) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(570) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(571) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(572) .capture_time PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 27 - Apparent energy export (-VA) - rate 1 1-0:10.6.1.255
(@1018)
(573) .logical_name PASSED
    <Data>
        <OctetString Value="01000A0601FF" />
    </Data>
(574) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(575) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(576) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(577) .capture_time PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get Maximum Demand Register 28 - Apparent energy export (-VA) - rate 2 1-0:10.6.2.255
(@1026)

```

```

(578) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000A0602FF" />
      </Data>
(579) .value                                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(580) .scaler_unit                                       PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(581) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(582) .capture_time                                     PASSED
      <Data>
        <OctetString Value="07D001010600000000800000" />
      </Data>

Mngmt Get Maximum Demand Register 29 - Apparent energy export (-VA) - rate 3 1-0:10.6.3.255
(@1034)
(583) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000A0603FF" />
      </Data>
(584) .value                                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(585) .scaler_unit                                       PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(586) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(587) .capture_time                                     PASSED
      <Data>
        <OctetString Value="07D001010600000000800000" />
      </Data>

Mngmt Get Maximum Demand Register 30 - Apparent energy export (-VA) - rate 4 1-0:10.6.4.255
(@1042)
(588) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000A0604FF" />
      </Data>
(589) .value                                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(590) .scaler_unit                                       PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>

```

```

    </Data>
(591) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(592) .capture_time PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get Profile status - Load profile with period 1 0-0:96.10.1.255 (@1051)
(593) .logical_name PASSED
    <Data>
        <OctetString Value="0000600A01FF" />
    </Data>
(594) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(595) .logical_name PASSED
    <Data>
        <OctetString Value="0100630100FF" />
    </Data>
(596) .capture_objects PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A01FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100020800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(597) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(598) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(599) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >

```

```

        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(600) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="000003AD" />
    </Data>
(601) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00004900" />
    </Data>

Mngmt Get Profile status - Load profile with period 2 0-0:96.10.2.255 (@1066)
(602) .logical_name PASSED
    <Data>
        <OctetString Value="0000600A02FF" />
    </Data>
(603) .status PASSED
    <Data>
        <Unsigned Value="80" />
    </Data>

Mngmt Get Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(604) .logical_name PASSED
    <Data>
        <OctetString Value="0100630200FF" />
    </Data>
(605) .capture_objects PASSED
    <Data>
        <Array Qty="0007" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
            </Structure>
        </Array>
    </Data>

```

```

        <OctetString Value="0100010803FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010804FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(606) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>
(607) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(608) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(609) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000013" />
    </Data>
(610) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="0000009D" />
    </Data>

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255 (@1082)
(611) .logical_name PASSED
    <Data>
        <OctetString Value="0000600715FF" />
    </Data>
(612) .value PASSED
    <Data>
        <LongUnsigned Value="0018" />
    </Data>

Mngmt Get Number of long power failures in any phase 0-0:96.7.9.255 (@1086)
(613) .logical_name PASSED
    <Data>
        <OctetString Value="0000600709FF" />
    </Data>
(614) .value PASSED
    <Data>
        <LongUnsigned Value="000B" />
    </Data>

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255 (@1090)
(615) .logical_name PASSED
    <Data>
        <OctetString Value="0000600714FF" />
    </Data>
(616) .value PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

```

```

    </Data>
(617) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Duration of last long power failure in any phase 0-0:96.7.19.255 (@1096)
(618) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0000600713FF" />
    </Data>
(619) .value                                             PASSED
    <Data>
        <DoubleLongUnsigned Value="000062BE" />
    </Data>
(620) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(621) .logical_name                                     PASSED
    <Data>
        <OctetString Value="01000C1F00FF" />
    </Data>
(622) .value                                             PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>
(623) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Time threshold for voltage sag 1-0:12.43.0.255 (@1108)
(624) .logical_name                                     PASSED
    <Data>
        <OctetString Value="01000C2B00FF" />
    </Data>
(625) .value                                             PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
(626) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Number of voltage sags in phase L1 1-0:32.32.0.255 (@1114)
(627) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100202000FF" />
    </Data>
(628) .value                                             PASSED

```

```

    <Data>
    <LongUnsigned Value="0000" />
  </Data>

Mngmt Get Number of voltage sags in phase L2 1-0:52.32.0.255 (@1118)
(629) .logical_name INAPPLICABLE
    Object is not required according to OM and/or extensions
(630) .value INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255 (@1122)
(631) .logical_name INAPPLICABLE
    Object is not required according to OM and/or extensions
(632) .value INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage sag in phase L1 1-0:32.33.0.255 (@1126)
(633) .logical_name PASSED
    <Data>
    <OctetString Value="0100202100FF" />
    </Data>
(634) .value PASSED
    <Data>
    <LongUnsigned Value="0000" />
    </Data>
(635) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="07" />
    </Structure>
    </Data>

Mngmt Get Duration of last voltage sag in phase L2 1-0:52.33.0.255 (@1132)
(636) .logical_name INAPPLICABLE
    Object is not required according to OM and/or extensions
(637) .value INAPPLICABLE
    Object is not required according to OM and/or extensions
(638) .scaler_unit INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage sag in phase L3 1-0:72.33.0.255 (@1138)
(639) .logical_name INAPPLICABLE
    Object is not required according to OM and/or extensions
(640) .value INAPPLICABLE
    Object is not required according to OM and/or extensions
(641) .scaler_unit INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage sag in phase L1 1-0:32.34.0.255 (@1144)
(642) .logical_name PASSED
    <Data>
    <OctetString Value="0100202200FF" />
    </Data>
(643) .value PASSED
    <Data>
    <LongUnsigned Value="0258" />
    </Data>
(644) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="23" />
    </Structure>
    </Data>

```


Mngmt Get Magnitude of last voltage sag in phase L2 1-0:52.34.0.255 (@1150)	
(645) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(646) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(647) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Magnitude of last voltage sag in phase L3 1-0:72.34.0.255 (@1156)	
(648) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(649) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(650) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1162)	
(651) .logical_name	PASSED
<Data> <OctetString Value="01000C2300FF" /> </Data>	
(652) .value	PASSED
<Data> <LongUnsigned Value="00FD" /> </Data>	
(653) .scaler_unit	PASSED
<Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="23" /> </Structure> </Data>	
Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255 (@1168)	
(654) .logical_name	PASSED
<Data> <OctetString Value="01000C2C00FF" /> </Data>	
(655) .value	PASSED
<Data> <LongUnsigned Value="001E" /> </Data>	
(656) .scaler_unit	PASSED
<Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="07" /> </Structure> </Data>	
Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255 (@1174)	
(657) .logical_name	PASSED
<Data> <OctetString Value="0100202400FF" /> </Data>	
(658) .value	PASSED
<Data> <LongUnsigned Value="0000" /> </Data>	
Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255 (@1178)	
(659) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(660) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255 (@1182)	
(661) .logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(662) .value Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Duration of last voltage swell in phase L1 1-0:32.37.0.255 (@1186)	
(663) .logical_name <Data> <OctetString Value="0100202500FF" /> </Data>	PASSED
(664) .value <Data> <LongUnsigned Value="0000" /> </Data>	PASSED
(665) .scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="07" /> </Structure> </Data>	PASSED
Mngmt Get Duration of last voltage swell in phase L2 1-0:52.37.0.255 (@1192)	
(666) .logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(667) .value Object is not required according to OM and/or extensions	INAPPLICABLE
(668) .scaler_unit Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Duration of last voltage swell in phase L3 1-0:72.37.0.255 (@1198)	
(669) .logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(670) .value Object is not required according to OM and/or extensions	INAPPLICABLE
(671) .scaler_unit Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Magnitude of last voltage swell in phase L1 1-0:32.38.0.255 (@1204)	
(672) .logical_name <Data> <OctetString Value="0100202600FF" /> </Data>	PASSED
(673) .value <Data> <LongUnsigned Value="0000" /> </Data>	PASSED
(674) .scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="23" /> </Structure> </Data>	PASSED
Mngmt Get Magnitude of last voltage swell in phase L2 1-0:52.38.0.255 (@1210)	
(675) .logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(676) .value Object is not required according to OM and/or extensions	INAPPLICABLE
(677) .scaler_unit Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Magnitude of last voltage swell in phase L3 1-0:72.38.0.255 (@1216)	
(678) .logical_name	INAPPLICABLE

Object is not required according to OM and/or extensions	
(679) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(680) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)	
(681) .logical_name	PASSED
<pre> <Data> <OctetString Value="01000C2700FF" /> </Data> </pre>	
(682) .value	PASSED
<pre> <Data> <LongUnsigned Value="0067" /> </Data> </pre>	
(683) .scaler_unit	PASSED
<pre> <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="23" /> </Structure> </Data> </pre>	
Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255 (@1228)	
(684) .logical_name	PASSED
<pre> <Data> <OctetString Value="01000C2D00FF" /> </Data> </pre>	
(685) .value	PASSED
<pre> <Data> <LongUnsigned Value="001E" /> </Data> </pre>	
(686) .scaler_unit	PASSED
<pre> <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="07" /> </Structure> </Data> </pre>	
Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)	
(687) .logical_name	PASSED
<pre> <Data> <OctetString Value="0100636100FF" /> </Data> </pre>	
(688) .capture_objects	PASSED
<pre> <Data> <Array Qty="0002" > <Structure Qty="0004" > <LongUnsigned Value="0008" /> <OctetString Value="0000010000FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> <Structure Qty="0004" > <LongUnsigned Value="0003" /> <OctetString Value="0000600713FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> </Array> </Data> </pre>	
(689) .capture_period	PASSED
<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	

(690)	.sort_method	PASSED
	<Data>	
	<Enum Value="01" />	
	</Data>	
(691)	.sort_object	PASSED
	<Data>	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0008" />	
	<OctetString Value="0000010000FF" />	
	<Integer Value="02" />	
	<LongUnsigned Value="0000" />	
	</Structure>	
	</Data>	
(692)	.entries_in_use	PASSED
	<Data>	
	<DoubleLongUnsigned Value="0000000E" />	
	</Data>	
(693)	.profile_entries	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000199" />	
	</Data>	
Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255 (@1245)		
(694)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0000600B04FF" />	
	</Data>	
(695)	.value	PASSED
	<Data>	
	<Enum Value="D3" />	
	</Data>	
Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)		
(696)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0000636204FF" />	
	</Data>	
(697)	.capture_objects	PASSED
	<Data>	
	<Array Qty="0002" >	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0008" />	
	<OctetString Value="0000010000FF" />	
	<Integer Value="02" />	
	<LongUnsigned Value="0000" />	
	</Structure>	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0001" />	
	<OctetString Value="0000600B04FF" />	
	<Integer Value="02" />	
	<LongUnsigned Value="0000" />	
	</Structure>	
	</Array>	
	</Data>	
(698)	.capture_period	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(699)	.sort_method	PASSED
	<Data>	
	<Enum Value="01" />	
	</Data>	
(700)	.sort_object	PASSED
	<Data>	
	<Structure Qty="0004" >	
	<LongUnsigned Value="0008" />	

```

        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(701) .entries_in_use                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000A" />
    </Data>
(702) .profile_entries                                   PASSED
    <Data>
        <DoubleLongUnsigned Value="00000249" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1260)
(703) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100200700FF" />
    </Data>
(704) .value                                             PASSED
    <Data>
        <LongUnsigned Value="00E1" />
    </Data>
(705) .scaler_unit                                       PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1266)
(706) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100201800FF" />
    </Data>
(707) .value                                             PASSED
    <Data>
        <LongUnsigned Value="00E1" />
    </Data>
(708) .scaler_unit                                       PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1272)
(709) .logical_name                                     PASSED
    <Data>
        <OctetString Value="01001F0700FF" />
    </Data>
(710) .value                                             PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(711) .scaler_unit                                       PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="21" />
        </Structure>
    </Data>

Mngmt Get Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)

```

(712)	.logical_name <Data> <OctetString Value="01001F0400FF" /> </Data>	PASSED
(713)	.current_average_value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(714)	.last_average_value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(715)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="21" /> </Structure> </Data>	PASSED
(716)	.status <Data> <Unsigned Value="00" /> </Data>	PASSED
(717)	.capture_time <Data> <OctetString Value="07DE0203010B0D2B00800000" /> </Data>	PASSED
(718)	.start_time_current <Data> <OctetString Value="07DE0203010B0C1000800000" /> </Data>	PASSED
(719)	.period <Data> <DoubleLongUnsigned Value="00000001" /> </Data>	PASSED
(720)	.number_of_periods <Data> <LongUnsigned Value="005A" /> </Data>	PASSED
Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1291)		
(721)	.logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(722)	.value Object is not required according to OM and/or extensions	INAPPLICABLE
(723)	.scaler_unit Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1297)		
(724)	.logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(725)	.value Object is not required according to OM and/or extensions	INAPPLICABLE
(726)	.scaler_unit Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1303)		
(727)	.logical_name Object is not required according to OM and/or extensions	INAPPLICABLE
(728)	.value Object is not required according to OM and/or extensions	INAPPLICABLE
(729)	.scaler_unit Object is not required according to OM and/or extensions	INAPPLICABLE
Mngmt Get Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1309)		
(730)	.logical_name	INAPPLICABLE

Object is not required according to OM and/or extensions (731) .current_average_value	INAPPLICABLE
Object is not required according to OM and/or extensions (732) .last_average_value	INAPPLICABLE
Object is not required according to OM and/or extensions (733) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions (734) .status	INAPPLICABLE
Object is not required according to OM and/or extensions (735) .capture_time	INAPPLICABLE
Object is not required according to OM and/or extensions (736) .start_time_current	INAPPLICABLE
Object is not required according to OM and/or extensions (737) .period	INAPPLICABLE
Object is not required according to OM and/or extensions (738) .number_of_periods	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1322)	
(739) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(740) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(741) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1328)	
(742) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(743) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(744) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1334)	
(745) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(746) .value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(747) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1340)	
(748) .logical_name	INAPPLICABLE
Object is not required according to OM and/or extensions	
(749) .current_average_value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(750) .last_average_value	INAPPLICABLE
Object is not required according to OM and/or extensions	
(751) .scaler_unit	INAPPLICABLE
Object is not required according to OM and/or extensions	
(752) .status	INAPPLICABLE
Object is not required according to OM and/or extensions	
(753) .capture_time	INAPPLICABLE
Object is not required according to OM and/or extensions	
(754) .start_time_current	INAPPLICABLE
Object is not required according to OM and/or extensions	
(755) .period	INAPPLICABLE
Object is not required according to OM and/or extensions	
(756) .number_of_periods	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Get Instantaneous current (sum over all phases) 1-0:90.7.0.255 (@1353)	
(757) .logical_name	PASSED
<Data>	

```

        <OctetString Value="01005A0700FF" />
    </Data>
(758) .value                                     PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(759) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="21" />
        </Structure>
    </Data>

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255 (@1359)
(760) .logical_name                             PASSED
    <Data>
        <OctetString Value="01000E0700FF" />
    </Data>
(761) .value                                     PASSED
    <Data>
        <LongUnsigned Value="0032" />
    </Data>
(762) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="2C" />
        </Structure>
    </Data>

Mngmt Get Instantaneous active power (|+A|+|-A|) 1-0:15.7.0.255 (@1365)
(763) .logical_name                             PASSED
    <Data>
        <OctetString Value="01000F0700FF" />
    </Data>
(764) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(765) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

Mngmt Get Instantaneous active import power (+A) 1-0:1.7.0.255 (@1371)
(766) .logical_name                             PASSED
    <Data>
        <OctetString Value="0100010700FF" />
    </Data>
(767) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(768) .scaler_unit                             PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

Mngmt Get Instantaneous active export power (-A) 1-0:2.7.0.255 (@1377)

```


(769)	.logical_name <Data> <OctetString Value="0100020700FF" /> </Data>	PASSED
(770)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(771)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1B" /> </Structure> </Data>	PASSED
Mngmt Get Instantaneous reactive import power (+R) 1-0:3.7.0.255 (@1383)		
(772)	.logical_name <Data> <OctetString Value="0100030700FF" /> </Data>	PASSED
(773)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(774)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1D" /> </Structure> </Data>	PASSED
Mngmt Get Instantaneous reactive export power (-R) 1-0:4.7.0.255 (@1389)		
(775)	.logical_name <Data> <OctetString Value="0100040700FF" /> </Data>	PASSED
(776)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(777)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1D" /> </Structure> </Data>	PASSED
Mngmt Get Instantaneous apparent import power (+VA) 1-0:9.7.0.255 (@1395)		
(778)	.logical_name <Data> <OctetString Value="0100090700FF" /> </Data>	PASSED
(779)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(780)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1C" /> </Structure> </Data>	PASSED

Mngmt Get Instantaneous apparent export power (-VA) 1-0:10.7.0.255 (@1401)	
(781) .logical_name	PASSED
<Data>	
<OctetString Value="01000A0700FF" />	
</Data>	
(782) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(783) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1C" />	
</Structure>	
</Data>	
Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1407)	
(784) .logical_name	PASSED
<Data>	
<OctetString Value="0100011800FF" />	
</Data>	
(785) .current_average_value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(786) .last_average_value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(787) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1B" />	
</Structure>	
</Data>	
(788) .status	PASSED
<Data>	
<Unsigned Value="00" />	
</Data>	
(789) .capture_time	PASSED
<Data>	
<OctetString Value="07DE0203010B0F1000800000" />	
</Data>	
(790) .start_time_current	PASSED
<Data>	
<OctetString Value="07DE0203010B001000800000" />	
</Data>	
(791) .period	PASSED
<Data>	
<DoubleLongUnsigned Value="0000003C" />	
</Data>	
(792) .number_of_periods	PASSED
<Data>	
<LongUnsigned Value="000F" />	
</Data>	
Mngmt Get Average Net Power (+A - -A) 1-0:16.24.0.255 (@1420)	
(793) .logical_name	INAPPLICABLE
Optional object is not implemented	
(794) .current_average_value	INAPPLICABLE
Optional object is not implemented	
(795) .last_average_value	INAPPLICABLE
Optional object is not implemented	

(796) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
(797) .status	INAPPLICABLE
Optional object is not implemented	
(798) .capture_time	INAPPLICABLE
Optional object is not implemented	
(799) .start_time_current	INAPPLICABLE
Optional object is not implemented	
(800) .period	INAPPLICABLE
Optional object is not implemented	
(801) .number_of_periods	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Average Total Power (+A + -A) 1-0:15.24.0.255 (@1433)	
(802) .logical_name	PASSED
<pre> <Data> <OctetString Value="01000F1800FF" /> </Data> </pre>	
(803) .current_average_value	PASSED
<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(804) .last_average_value	PASSED
<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(805) .scaler_unit	PASSED
<pre> <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1B" /> </Structure> </Data> </pre>	
(806) .status	PASSED
<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(807) .capture_time	PASSED
<pre> <Data> <OctetString Value="07DE0203010B0F1000800000" /> </Data> </pre>	
(808) .start_time_current	PASSED
<pre> <Data> <OctetString Value="07DE0203010B001000800000" /> </Data> </pre>	
(809) .period	PASSED
<pre> <Data> <DoubleLongUnsigned Value="0000003C" /> </Data> </pre>	
(810) .number_of_periods	PASSED
<pre> <Data> <LongUnsigned Value="000F" /> </Data> </pre>	
Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255 (@1446)	
(811) .logical_name	PASSED
<pre> <Data> <OctetString Value="01000D0700FF" /> </Data> </pre>	
(812) .value	PASSED
<pre> <Data> <LongUnsigned Value="03E8" /> </Data> </pre>	
(813) .scaler_unit	PASSED
<pre> <Data> <Structure Qty="0002" > </pre>	

```

    <Integer Value="FD" />
    <Enum Value="FF" />
  </Structure>
</Data>

```

```

Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255 (@1452)
(814) .logical_name INAPPLICABLE
    Optional object is not implemented
(815) .value INAPPLICABLE
    Optional object is not implemented
(816) .scaler_unit INAPPLICABLE
    Optional object is not implemented
(817) .status INAPPLICABLE
    Optional object is not implemented
(818) .capture_time INAPPLICABLE
    Optional object is not implemented

Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1460)
(819) .logical_name INAPPLICABLE
    Optional object is not implemented
(820) .value INAPPLICABLE
    Optional object is not implemented
(821) .scaler_unit INAPPLICABLE
    Optional object is not implemented
(822) .status INAPPLICABLE
    Optional object is not implemented
(823) .capture_time INAPPLICABLE
    Optional object is not implemented

Mngmt Get Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(824) .logical_name INAPPLICABLE
    Optional object is not implemented
(825) .value INAPPLICABLE
    Optional object is not implemented
(826) .scaler_unit INAPPLICABLE
    Optional object is not implemented

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1475)
(827) .logical_name PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(828) .comm_speed PASSED
    <Data>
        <Enum Value="03" />
    </Data>

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1479)
(829) .logical_name PASSED
    <Data>
        <OctetString Value="0001180600FF" />
    </Data>
(830) .comm_speed PASSED
    <Data>
        <Enum Value="03" />
    </Data>

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(831) .logical_name PASSED
    <Data>
        <OctetString Value="0001180100FF" />
    </Data>
(832) .mbus_port_reference PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>

```

(833)	.capture_definition	PASSED
	<pre> <Data> <Array Qty="0001" > <Structure Qty="0002" > <OctetString Value="0C" /> <OctetString Value="\x" /> </Structure> </Array> </Data> </pre>	
(834)	.capture_period	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000E10" /> </Data> </pre>	
(835)	.primary_address	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(836)	.identification_number	PASSED
	<pre> <Data> <DoubleLongUnsigned Value="00000000" /> </Data> </pre>	
(837)	.manufacturer_id	PASSED
	<pre> <Data> <LongUnsigned Value="0000" /> </Data> </pre>	
(838)	.version	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(839)	.device_type	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(840)	.access_number	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(841)	.status	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(842)	.alarm	PASSED
	<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
Mngmt	Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)	
(843)	.logical_name	PASSED
	<pre> <Data> <OctetString Value="0002180100FF" /> </Data> </pre>	
(844)	.mbus_port_reference	PASSED
	<pre> <Data> <OctetString Value="0000180600FF" /> </Data> </pre>	
(845)	.capture_definition	PASSED
	<pre> <Data> <Array Qty="0001" > <Structure Qty="0002" > <OctetString Value="0C" /> <OctetString Value="\x" /> </Structure> </Array> </Data> </pre>	
(846)	.capture_period	PASSED
	<pre> <Data> </pre>	

```

        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(847) .primary_address PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(848) .identification_number PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(849) .manufacturer_id PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(850) .version PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(851) .device_type PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(852) .access_number PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(853) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(854) .alarm PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(855) .logical_name PASSED
    <Data>
        <OctetString Value="0003180100FF" />
    </Data>
(856) .mbus_port_reference PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(857) .capture_definition PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="0C" />
                <OctetString Value="\x" />
            </Structure>
        </Array>
    </Data>
(858) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(859) .primary_address PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(860) .identification_number PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(861) .manufacturer_id PASSED

```

```

    <Data>
    <LongUnsigned Value="0000" />
  </Data>
(862) .version PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(863) .device_type PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(864) .access_number PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(865) .status PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(866) .alarm PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(867) .logical_name PASSED
    <Data>
    <OctetString Value="0004180100FF" />
  </Data>
(868) .mbus_port_reference PASSED
    <Data>
    <OctetString Value="0000180600FF" />
  </Data>
(869) .capture_definition PASSED
    <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <OctetString Value="0C" />
        <OctetString Value="\x" />
      </Structure>
    </Array>
  </Data>
(870) .capture_period PASSED
    <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(871) .primary_address PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(872) .identification_number PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(873) .manufacturer_id PASSED
    <Data>
    <LongUnsigned Value="0000" />
  </Data>
(874) .version PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(875) .device_type PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>

```

(876)	.access_number	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(877)	.status	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(878)	.alarm	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)		
(879)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0001180201FF" />	
	</Data>	
(880)	.value	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(881)	.scaler_unit	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<Integer Value="00" />	
	<Enum Value="FF" />	
	</Structure>	
	</Data>	
(882)	.status	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(883)	.capture_time	PASSED
	<Data>	
	<OctetString Value="07D001010600000000800000" />	
	</Data>	
Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)		
(884)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0001180202FF" />	
	</Data>	
(885)	.value	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	
	</Data>	
(886)	.scaler_unit	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<Integer Value="00" />	
	<Enum Value="FF" />	
	</Structure>	
	</Data>	
(887)	.status	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(888)	.capture_time	PASSED
	<Data>	
	<OctetString Value="07D001010600000000800000" />	
	</Data>	
Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1587)		
(889)	.logical_name	PASSED
	<Data>	


```

    <OctetString Value="0001180203FF" />
  </Data>
(890) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(891) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(892) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(893) .capture_time PASSED
    <Data>
      <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1595)
(894) .logical_name PASSED
    <Data>
      <OctetString Value="0001180204FF" />
    </Data>
(895) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(896) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(897) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(898) .capture_time PASSED
    <Data>
      <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)
(899) .logical_name PASSED
    <Data>
      <OctetString Value="0002180201FF" />
    </Data>
(900) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(901) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(902) .status PASSED
    <Data>
      <Unsigned Value="00" />

```

```

    </Data>
(903) .capture_time PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)
(904) .logical_name PASSED
    <Data>
        <OctetString Value="0002180202FF" />
    </Data>
(905) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(906) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(907) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(908) .capture_time PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1619)
(909) .logical_name PASSED
    <Data>
        <OctetString Value="0002180203FF" />
    </Data>
(910) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(911) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(912) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(913) .capture_time PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1627)
(914) .logical_name PASSED
    <Data>
        <OctetString Value="0002180204FF" />
    </Data>
(915) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(916) .scaler_unit PASSED

```

```

        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="FF" />
            </Structure>
        </Data>
(917) .status PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(918) .capture_time PASSED
        <Data>
            <OctetString Value="07D001010600000000800000" />
        </Data>

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)
(919) .logical_name PASSED
        <Data>
            <OctetString Value="0003180201FF" />
        </Data>
(920) .value PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(921) .scaler_unit PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="FF" />
            </Structure>
        </Data>
(922) .status PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(923) .capture_time PASSED
        <Data>
            <OctetString Value="07D001010600000000800000" />
        </Data>

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)
(924) .logical_name PASSED
        <Data>
            <OctetString Value="0003180202FF" />
        </Data>
(925) .value PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(926) .scaler_unit PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="FF" />
            </Structure>
        </Data>
(927) .status PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(928) .capture_time PASSED
        <Data>
            <OctetString Value="07D001010600000000800000" />
        </Data>

Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1651)

```

(929)	.logical_name <Data> <OctetString Value="0003180203FF" /> </Data>	PASSED
(930)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(931)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="FF" /> </Structure> </Data>	PASSED
(932)	.status <Data> <Unsigned Value="00" /> </Data>	PASSED
(933)	.capture_time <Data> <OctetString Value="07D001010600000000800000" /> </Data>	PASSED
Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1659)		
(934)	.logical_name <Data> <OctetString Value="0003180204FF" /> </Data>	PASSED
(935)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(936)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="FF" /> </Structure> </Data>	PASSED
(937)	.status <Data> <Unsigned Value="00" /> </Data>	PASSED
(938)	.capture_time <Data> <OctetString Value="07D001010600000000800000" /> </Data>	PASSED
Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)		
(939)	.logical_name <Data> <OctetString Value="0004180201FF" /> </Data>	PASSED
(940)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(941)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="FF" /> </Structure> </Data>	PASSED
(942)	.status	PASSED

```

    <Data>
    <Unsigned Value="00" />
  </Data>
(943) .capture_time PASSED
    <Data>
    <OctetString Value="07D001010600000000800000" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)
(944) .logical_name PASSED
    <Data>
    <OctetString Value="0004180202FF" />
  </Data>
(945) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(946) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(947) .status PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(948) .capture_time PASSED
    <Data>
    <OctetString Value="07D001010600000000800000" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1683)
(949) .logical_name PASSED
    <Data>
    <OctetString Value="0004180203FF" />
  </Data>
(950) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(951) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(952) .status PASSED
    <Data>
    <Unsigned Value="00" />
  </Data>
(953) .capture_time PASSED
    <Data>
    <OctetString Value="07D001010600000000800000" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)
(954) .logical_name PASSED
    <Data>
    <OctetString Value="0004180204FF" />
  </Data>
(955) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>

```

```

    </Data>
(956) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(957) .status                                           PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(958) .capture_time                                     PASSED
    <Data>
        <OctetString Value="07D001010600000000800000" />
    </Data>

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(959) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0001600100FF" />
    </Data>
(960) .value                                           PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(961) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0002600100FF" />
    </Data>
(962) .value                                           PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(963) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0003600100FF" />
    </Data>
(964) .value                                           PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(965) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0004600100FF" />
    </Data>
(966) .value                                           PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(967) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0001600101FF" />
    </Data>
(968) .value                                           PASSED
    <Data>
        <OctetString Value="\12345678" />
    </Data>

```

```
Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)
(969) .logical_name PASSED
      <Data>
        <OctetString Value="0002600101FF" />
      </Data>
(970) .value PASSED
      <Data>
        <OctetString Value="\12345678" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(971) .logical_name PASSED
      <Data>
        <OctetString Value="0003600101FF" />
      </Data>
(972) .value PASSED
      <Data>
        <OctetString Value="\12345678" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(973) .logical_name PASSED
      <Data>
        <OctetString Value="0004600101FF" />
      </Data>
(974) .value PASSED
      <Data>
        <OctetString Value="\12345678" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 1 0-1:96.10.3.255 (@1731)
(975) .logical_name PASSED
      <Data>
        <OctetString Value="0001600A03FF" />
      </Data>
(976) .status PASSED
      <Data>
        <Unsigned Value="80" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 2 0-2:96.10.3.255 (@1735)
(977) .logical_name PASSED
      <Data>
        <OctetString Value="0002600A03FF" />
      </Data>
(978) .status PASSED
      <Data>
        <Unsigned Value="80" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 3 0-3:96.10.3.255 (@1739)
(979) .logical_name PASSED
      <Data>
        <OctetString Value="0003600A03FF" />
      </Data>
(980) .status PASSED
      <Data>
        <Unsigned Value="80" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 4 0-4:96.10.3.255 (@1743)
(981) .logical_name PASSED
      <Data>
        <OctetString Value="0004600A03FF" />
      </Data>
```

```

(982) .status                                     PASSED
      <Data>
        <Unsigned Value="80" />
      </Data>

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)

(983) .logical_name                               PASSED
      <Data>
        <OctetString Value="0001180300FF" />
      </Data>

(984) .capture_objects                             PASSED
      <Data>
        <Array Qty="0006" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180202FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180203FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180204FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>

(985) .capture_period                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>

(986) .sort_method                                PASSED
      <Data>
        <Enum Value="01" />
      </Data>

(987) .sort_object                                PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Data>

```



```

        </Structure>
    </Data>
(988) .entries_in_use                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(989) .profile_entries                                   PASSED
    <Data>
        <DoubleLongUnsigned Value="00000174" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
(990) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0002180300FF" />
    </Data>
(991) .capture_objects                                   PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0002600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180204FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(992) .capture_period                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(993) .sort_method                                       PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(994) .sort_object                                       PASSED

```

```

    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(995) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(996) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="00000174" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(997) .logical_name PASSED
    <Data>
      <OctetString Value="0003180300FF" />
    </Data>
(998) .capture_objects PASSED
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0003600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0003180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0003180202FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0003180203FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0003180204FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(999) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />

```

```

    </Data>
(1000) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1001) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1002) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(1003) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00000174" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(1004) .logical_name PASSED
    <Data>
        <OctetString Value="0004180300FF" />
    </Data>
(1005) .capture_objects PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180204FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

        </Structure>
    </Array>
</Data>
(1006) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(1007) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1008) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1009) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(1010) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00000174" />
    </Data>

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(1011) .logical_name PASSED
    <Data>
        <OctetString Value="0001180400FF" />
    </Data>
(1012) .output_state PASSED
    <Data>
        <Bool Value="00" />
    </Data>
(1013) .control_state PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(1014) .control_mode PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(1015) .logical_name PASSED
    <Data>
        <OctetString Value="0002180400FF" />
    </Data>
(1016) .output_state PASSED
    <Data>
        <Bool Value="00" />
    </Data>
(1017) .control_state PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(1018) .control_mode PASSED
    <Data>
        <Enum Value="06" />
    </Data>

```

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)

(1019)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0003180400FF" />	
	</Data>	
(1020)	.output_state	PASSED
	<Data>	
	<Bool Value="00" />	
	</Data>	
(1021)	.control_state	PASSED
	<Data>	
	<Enum Value="00" />	
	</Data>	
(1022)	.control_mode	PASSED
	<Data>	
	<Enum Value="06" />	
	</Data>	
Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)		
(1023)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0004180400FF" />	
	</Data>	
(1024)	.output_state	PASSED
	<Data>	
	<Bool Value="00" />	
	</Data>	
(1025)	.control_state	PASSED
	<Data>	
	<Enum Value="00" />	
	</Data>	
(1026)	.control_mode	PASSED
	<Data>	
	<Enum Value="06" />	
	</Data>	
Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1823)		
(1027)	.logical_name	PASSED
	<Data>	
	<OctetString Value="00010F0001FF" />	
	</Data>	
(1028)	.executed_script	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<OctetString Value="00010A006AFF" />	
	<LongUnsigned Value="0001" />	
	</Structure>	
	</Data>	
(1029)	.type	PASSED
	<Data>	
	<Enum Value="01" />	
	</Data>	
(1030)	.execution_time	PASSED
	<Data>	
	<Array Qty="0000" >	
	</Array>	
	</Data>	
Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255 (@1829)		
(1031)	.logical_name	PASSED
	<Data>	
	<OctetString Value="00010A006AFF" />	
	</Data>	
(1032)	.scripts	PASSED
	<Data>	
	<Array Qty="0008" >	
	<Structure Qty="0002" >	

```
<LongUnsigned Value="0001" />
<Array Qty="0001" >
  <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="0001180400FF" />
    <Integer Value="01" />
    <Integer Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0002" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0001180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0005" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0006" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
```

```

        <Integer Value="02" />
        <Integer Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0007" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="01" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0008" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Get Event Objects - M-Bus Master Control logs 1 0-1:96.11.4.255 (@1834)		
(1033)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0001600B04FF" />	
	</Data>	
(1034)	.value	PASSED
	<Data>	
	<Enum Value="A4" />	
	</Data>	
Mngmt Get Event Objects - M-Bus Master Control logs 2 0-2:96.11.4.255 (@1838)		
(1035)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0002600B04FF" />	
	</Data>	
(1036)	.value	PASSED
	<Data>	
	<Enum Value="AE" />	
	</Data>	
Mngmt Get Event Objects - M-Bus Master Control logs 3 0-3:96.11.4.255 (@1842)		
(1037)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0003600B04FF" />	
	</Data>	
(1038)	.value	PASSED
	<Data>	
	<Enum Value="B8" />	
	</Data>	
Mngmt Get Event Objects - M-Bus Master Control logs 4 0-4:96.11.4.255 (@1846)		
(1039)	.logical_name	PASSED
	<Data>	
	<OctetString Value="0004600B04FF" />	

```

    </Data>
(1040) .value PASSED
    <Data>
        <Enum Value="C2" />
    </Data>

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)
(1041) .logical_name PASSED
    <Data>
        <OctetString Value="0001180500FF" />
    </Data>
(1042) .capture_objects PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0001600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(1043) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1044) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1045) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1046) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
(1047) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00000249" />
    </Data>

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)
(1048) .logical_name PASSED
    <Data>
        <OctetString Value="0002180500FF" />
    </Data>
(1049) .capture_objects PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
            </Structure>
        </Array>
    </Data>

```



```

        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0002600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1050) .capture_period PASSED
<Data>
    <DoubleLongUnsigned Value="00000000" />
</Data>
(1051) .sort_method PASSED
<Data>
    <Enum Value="01" />
</Data>
(1052) .sort_object PASSED
<Data>
    <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(1053) .entries_in_use PASSED
<Data>
    <DoubleLongUnsigned Value="00000007" />
</Data>
(1054) .profile_entries PASSED
<Data>
    <DoubleLongUnsigned Value="00000249" />
</Data>

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)
(1055) .logical_name PASSED
<Data>
    <OctetString Value="0003180500FF" />
</Data>
(1056) .capture_objects PASSED
<Data>
    <Array Qty="0002" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600B04FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(1057) .capture_period PASSED
<Data>
    <DoubleLongUnsigned Value="00000000" />
</Data>
(1058) .sort_method PASSED
<Data>
    <Enum Value="01" />
</Data>

```

```

(1059) .sort_object                                     PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>

(1060) .entries_in_use                                   PASSED
<Data>
  <DoubleLongUnsigned Value="00000007" />
</Data>

(1061) .profile_entries                                 PASSED
<Data>
  <DoubleLongUnsigned Value="00000249" />
</Data>

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(1062) .logical_name                                    PASSED
<Data>
  <OctetString Value="0004180500FF" />
</Data>

(1063) .capture_objects                                 PASSED
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0004600B04FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

(1064) .capture_period                                  PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>

(1065) .sort_method                                    PASSED
<Data>
  <Enum Value="01" />
</Data>

(1066) .sort_object                                     PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>

(1067) .entries_in_use                                   PASSED
<Data>
  <DoubleLongUnsigned Value="00000007" />
</Data>

(1068) .profile_entries                                 PASSED
<Data>
  <DoubleLongUnsigned Value="00000249" />
</Data>

```

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1894)		
(1069)	.logical_name	PASSED
	<Data> <OctetString Value="0000600B03FF" /> </Data>	
(1070)	.value	PASSED
	<Data> <Enum Value="68" /> </Data>	
Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)		
(1071)	.logical_name	PASSED
	<Data> <OctetString Value="0000636203FF" /> </Data>	
(1072)	.capture_objects	PASSED
	<Data> <Array Qty="0002" > <Structure Qty="0004" > <LongUnsigned Value="0008" /> <OctetString Value="0000010000FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> <Structure Qty="0004" > <LongUnsigned Value="0001" /> <OctetString Value="0000600B03FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> </Array> </Data>	
(1073)	.capture_period	PASSED
	<Data> <DoubleLongUnsigned Value="00000000" /> </Data>	
(1074)	.sort_method	PASSED
	<Data> <Enum Value="01" /> </Data>	
(1075)	.sort_object	PASSED
	<Data> <Structure Qty="0004" > <LongUnsigned Value="0008" /> <OctetString Value="0000010000FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> </Data>	
(1076)	.entries_in_use	PASSED
	<Data> <DoubleLongUnsigned Value="00000007" /> </Data>	
(1077)	.profile_entries	PASSED
	<Data> <DoubleLongUnsigned Value="00000249" /> </Data>	
Mngmt Get IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)		
(1078)	.logical_name	INAPPLICABLE
	Optional object is not implemented	
(1079)	.default_mode	INAPPLICABLE
	Optional object is not implemented	
(1080)	.default_baud	INAPPLICABLE
	Optional object is not implemented	
(1081)	.prop_baud	INAPPLICABLE

Optional object is not implemented	
(1082) .response_time	INAPPLICABLE
Optional object is not implemented	
(1083) .device_addr	INAPPLICABLE
Optional object is not implemented	
Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)	
(1084) .logical_name	PASSED
<Data> <OctetString Value="0000160000FF" /> </Data>	
(1085) .comm_speed	PASSED
<Data> <Enum Value="05" /> </Data>	
(1086) .window_size_transmit	PASSED
<Data> <Unsigned Value="01" /> </Data>	
(1087) .window_size_receive	PASSED
<Data> <Unsigned Value="01" /> </Data>	
(1088) .max_info_field_lenght_transmit	PASSED
<Data> <LongUnsigned Value="00F2" /> </Data>	
(1089) .max_info_field_lenght_receive	PASSED
<Data> <LongUnsigned Value="00F2" /> </Data>	
(1090) .inter_octet_time_out	PASSED
<Data> <LongUnsigned Value="0032" /> </Data>	
(1091) .inactivity_time_out	PASSED
<Data> <LongUnsigned Value="0032" /> </Data>	
(1092) .device_address	PASSED
<Data> <LongUnsigned Value="0011" /> </Data>	
Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)	
(1093) .logical_name	PASSED
<Data> <OctetString Value="00001A0000FF" /> </Data>	
(1094) .initiator_electrical_phase	PASSED
<Data> <Enum Value="03" /> </Data>	
(1095) .delta_electrical_phase	PASSED
<Data> <Enum Value="04" /> </Data>	
(1096) .max_receiving_gain	PASSED
<Data> <Unsigned Value="2A" /> </Data>	
(1097) .max_transmitting_gain	PASSED
<Data> <Unsigned Value="00" /> </Data>	
(1098) .search_initiator_gain	PASSED

```

    <Data>
      <Unsigned Value="00" />
    </Data>
(1099) .frequencies PASSED
    <Data>
      <Structure Qty="0002" >
        <DoubleLongUnsigned Value="0000F744" />
        <DoubleLongUnsigned Value="00012110" />
      </Structure>
    </Data>
(1100) .mac_address PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>
(1101) .mac_group_addresses PASSED
    <Data>
      <Array Qty="0005" >
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
      </Array>
    </Data>
(1102) .repeater PASSED
    <Data>
      <Enum Value="02" />
    </Data>
(1103) .repeater_status PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(1104) .min_delta_credit PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(1105) .initiator_mac_address PASSED
    <Data>
      <LongUnsigned Value="0C00" />
    </Data>
(1106) .synchronization_locked PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(1107) .transmission_speed PASSED
    <Data>
      <Enum Value="03" />
    </Data>

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)
(1108) .logical_name PASSED
    <Data>
      <OctetString Value="00001A0100FF" />
    </Data>
(1109) .active_initiator PASSED
    <Data>
      <Structure Qty="0003" >
        <OctetString Value="4C475A4954000002" />
        <LongUnsigned Value="0C00" />
        <Unsigned Value="01" />
      </Structure>
    </Data>

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(1110) .logical_name PASSED
    <Data>

```

```

        <OctetString Value="00001A0200FF" />
    </Data>
(1111) .search_initiator_timeout PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(1112) .synchronization_confirmation_timeout PASSED
    <Data>
        <LongUnsigned Value="0003" />
    </Data>
(1113) .timeout_not_addressed PASSED
    <Data>
        <LongUnsigned Value="0168" />
    </Data>
(1114) .timeout_frame_not_OK PASSED
    <Data>
        <LongUnsigned Value="0028" />
    </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(1115) .logical_name PASSED
    <Data>
        <OctetString Value="00001A0300FF" />
    </Data>
(1116) .synchronization_register PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0C00" />
                <DoubleLongUnsigned Value="0000163D" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
        </Array>
    </Data>
(1117) .desynchronization_listing PASSED
    <Data>
        <Structure Qty="0005" >
            <DoubleLongUnsigned Value="00001156" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00001632" />
            <DoubleLongUnsigned Value="0000000B" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
    </Data>
(1118) .broadcast_frames_counter PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0C00" />
                <DoubleLongUnsigned Value="00000050" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
        </Array>
    </Data>

```

```

    </Array>
  </Data>
(1119) .repetitions_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="0000060B" />
  </Data>
(1120) .transmissions_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="00004D26" />
  </Data>
(1121) .CRC_OK_frames_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="00004DF8" />
  </Data>
(1122) .CRC_NOK_frames_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="00000044" />
  </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(1123) .logical_name PASSED
  <Data>
    <OctetString Value="00001A0500FF" />
  </Data>
(1124) .max_frame_length PASSED
  <Data>
    <Unsigned Value="F2" />
  </Data>
(1125) .reply_status_list PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Unsigned Value="00" />
        <Unsigned Value="07" />
      </Structure>
    </Array>
  </Data>

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)
(1126) .logical_name INAPPLICABLE
  Optional object is not implemented
(1127) .reporting_system_list INAPPLICABLE
  Optional object is not implemented

*****
Test Case 7 : Set mngmt attributes, 189 item(s)
*****

Mngmt Set Current association 0-0:40.0.0.255 (@9)
(1) .authentication_mechanism_name INAPPLICABLE
  Optional access right not available
(2) .secret PASSED
  <Data>
    <OctetString Value="\12345678" />
  </Data>

Mngmt Set Security setup 0-0:43.0.0.255 (@24)
(3) .security_suite PASSED
  <Data>
    <Enum Value="00" />
  </Data>

Mngmt Set Device ID 2 0-0:96.1.1.255 (@50)
(4) .value PASSED
  <Data>
    <OctetString Value="\M&C" />
  </Data>

```

```

    </Data>

Mngmt Set Device ID 3 0-0:96.1.2.255 (@54)
(5) .value PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Set Device ID 4 0-0:96.1.3.255 (@58)
(6) .value PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Set Device ID 5 0-0:96.1.4.255 (@62)
(7) .value PASSED
    <Data>
        <OctetString Value="\M&C" />
    </Data>

Mngmt Set Clock 0-0:1.0.0.255 (@75)
(8) .time PASSED
    <Data>
        <OctetString Value="07DE0203010A2E05FF800000" />
    </Data>
(9) .time_zone PASSED
    <Data>
        <Long Value="FFC4" />
    </Data>
(10) .daylights_savings_begin PASSED
    <Data>
        <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(11) .daylights_savings_end PASSED
    <Data>
        <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(12) .daylights_savings_deviation PASSED
    <Data>
        <Integer Value="3C" />
    </Data>
(13) .daylights_savings_enabled PASSED
    <Data>
        <Bool Value="01" />
    </Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(14) .value PASSED
    <Data>
        <Unsigned Value="3C" />
    </Data>

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@100)
(15) .calendar_name_passive PASSED
    <Data>
        <OctetString Value="\TEST_TOU" />
    </Data>
(16) .season_profile_passive PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <OctetString Value="00" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="00" />
            </Structure>
            <Structure Qty="0003" >

```



```

        <OctetString Value="01" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="02" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="03" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
    </Structure>
</Array>
</Data>
(17) .week_profile_table_passive PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0008" >
                <OctetString Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
            </Structure>
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
            </Structure>
            <Structure Qty="0008" >
                <OctetString Value="02" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
            </Structure>
            <Structure Qty="0008" >
                <OctetString Value="03" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
                <Unsigned Value="FF" />
            </Structure>
        </Array>
    </Data>
(18) .day_profile_table_passive PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />

```

```

        <Array Qty="0002" >
          <Structure Qty="0003" >
            <OctetString Value="00000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0002" />
          </Structure>
          <Structure Qty="0003" >
            <OctetString Value="08000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0001" />
          </Structure>
        </Array>
      </Structure>
    </Array>
  </Data>
(19) .activate_passive_calendar_time PASSED
    <Data>
      <OctetString Value="07DE011E04101200FF8000FF" />
    </Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)
(20) .entries PASSED
    <_Data>
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <LongUnsigned Value="0000" />
          <OctetString Value="07DC051DFF" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </_Data>

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@117)
(21) .register_assignment INAPPLICABLE
    Optional access right not available
(22) .mask_list PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="0001" />
          <Array Qty="0011" >
            <Unsigned Value="01" />
            <Unsigned Value="02" />
            <Unsigned Value="03" />
            <Unsigned Value="04" />
            <Unsigned Value="05" />
            <Unsigned Value="06" />
            <Unsigned Value="07" />
            <Unsigned Value="08" />
            <Unsigned Value="09" />
            <Unsigned Value="0A" />
            <Unsigned Value="0B" />
            <Unsigned Value="0C" />
            <Unsigned Value="0D" />
            <Unsigned Value="0E" />
            <Unsigned Value="0F" />
            <Unsigned Value="10" />
            <Unsigned Value="11" />
          </Array>
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="0002" />
          <Array Qty="0011" >
            <Unsigned Value="01" />
            <Unsigned Value="02" />
            <Unsigned Value="03" />
          </Array>
        </Structure>
      </Array>
    </Data>

```

```
<Unsigned Value="04" />
<Unsigned Value="05" />
<Unsigned Value="06" />
<Unsigned Value="07" />
<Unsigned Value="08" />
<Unsigned Value="09" />
<Unsigned Value="0A" />
<Unsigned Value="0B" />
<Unsigned Value="0C" />
<Unsigned Value="12" />
<Unsigned Value="13" />
<Unsigned Value="14" />
<Unsigned Value="15" />
<Unsigned Value="16" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    <Unsigned Value="17" />
    <Unsigned Value="18" />
    <Unsigned Value="19" />
    <Unsigned Value="1A" />
    <Unsigned Value="1B" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    <Unsigned Value="1C" />
    <Unsigned Value="1D" />
    <Unsigned Value="1E" />
    <Unsigned Value="1F" />
    <Unsigned Value="20" />
  </Array>
</Structure>
</Array>
</Data>
```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)
(23) .register_assignment
Optional access right not available

INAPPLICABLE

(24) .mask_list

PASSED

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="0001" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="05" />
        <Unsigned Value="06" />
        <Unsigned Value="07" />
        <Unsigned Value="08" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0002" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="09" />
        <Unsigned Value="0A" />
        <Unsigned Value="0B" />
        <Unsigned Value="0C" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0003" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="0D" />
        <Unsigned Value="0E" />
        <Unsigned Value="0F" />
        <Unsigned Value="10" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0004" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="02" />
        <Unsigned Value="03" />
        <Unsigned Value="04" />
        <Unsigned Value="11" />
        <Unsigned Value="12" />
        <Unsigned Value="13" />
        <Unsigned Value="14" />
      </Array>
    </Structure>
  </Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@129)

(25) .scripts

PASSED

```

<_Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0003" >
        <Structure Qty="0005" >

```

```

        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0001FF" />
        <Integer Value="04" />
        <OctetString Value="0001" />
    </Structure>
    <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0002FF" />
        <Integer Value="04" />
        <OctetString Value="0001" />
    </Structure>
    <Structure Qty="0005" >
        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="000160030AFF" />
        <Integer Value="01" />
        <Integer Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0002" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0002" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="0002" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0003" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="0003" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0005" >

```

```

        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="000160030AFF" />
        <Integer Value="01" />
        <Integer Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0004" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="0004" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(26) .type

INAPPLICABLE

Optional access right not available

(27) .execution_time

PASSED

```

    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="00000000" />
                <OctetString Value="FFFFFF01FF" />
            </Structure>
        </Array>
    </Data>

```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@146)

(28) .capture_objects

PASSED

```

    <Data>
        <Array Qty="0005" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@158)

(29) .executed_script

PASSED

```

  <Data>
    <Structure Qty="0002" >
      <OctetString Value="00000A006AFF" />
      <LongUnsigned Value="0002" />
    </Structure>
  </Data>

```

(30) .type

INAPPLICABLE

Optional access right not available

(31) .execution_time

PASSED

```

  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>

```

Mngmt Set Disconnect control 0-0:96.3.10.255 (@169)

(32) .control_mode

PASSED

```

  <Data>
    <Enum Value="06" />
  </Data>

```

Mngmt Set Disconnect Control Log 0-0:99.98.2.255 (@181)

(33) .capture_objects

INAPPLICABLE

Optional access right not available

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

(34) .control_mode

PASSED

```

  <Data>
    <Enum Value="06" />
  </Data>

```

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

(35) .control_mode

PASSED

```

  <Data>
    <Enum Value="06" />
  </Data>

```

Mngmt Set Limiter 0-0:17.0.0.255 (@213)

(36) .monitored_value

PASSED

```

  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0003" />
      <OctetString Value="01005A0700FF" />
      <Integer Value="02" />
    </Structure>
  </Data>

```

```

        </Structure>
    </Data>
(37) .threshold_normal PASSED
    <Data>
        <LongUnsigned Value="4268" />
    </Data>
(38) .treshold_emergency PASSED
    <Data>
        <LongUnsigned Value="2134" />
    </Data>
(39) .min_over_threshold_duration PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B4" />
    </Data>
(40) .min_under_threshold_duration PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B4" />
    </Data>
(41) .emergency_profile PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="07DB040DFF0E1000008000FF" />
            <DoubleLongUnsigned Value="0000003C" />
        </Structure>
    </Data>
(42) .emergency_profile_group_id_list PASSED
    <Data>
        <Array Qty="0003" >
            <LongUnsigned Value="0005" />
            <LongUnsigned Value="0006" />
            <LongUnsigned Value="0007" />
        </Array>
    </Data>
(43) .actions INAPPLICABLE
    Optional access right not available

Mngmt Set Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@226)
(44) .thresholds PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000078" />
        </Array>
    </Data>
(45) .monitored_value PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="01001F0400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(46) .actions PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0001" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Structure>
        </Array>
    </Data>

```



```

    </Data>

Mngmt Set Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@232)
(47) .thresholds                                     INAPPLICABLE
    Object is not required according to OM and/or extensions
(48) .monitored_value                                 INAPPLICABLE
    Object is not required according to OM and/or extensions
(49) .actions                                          INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Set Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@238)
(50) .thresholds                                     INAPPLICABLE
    Object is not required according to OM and/or extensions
(51) .monitored_value                                 INAPPLICABLE
    Object is not required according to OM and/or extensions
(52) .actions                                          INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Set Error Register 0-0:97.97.0.255 (@245)
(53) .value                                           PASSED
    <Data>
        <DoubleLongUnsigned Value="01000000" />
    </Data>

Mngmt Set Alarm Register 0-0:97.98.0.255 (@249)
(54) .value                                           PASSED
    <Data>
        <DoubleLongUnsigned Value="00002000" />
    </Data>

Mngmt Set Alarm Filter 0-0:97.98.10.255 (@253)
(55) .value                                           PASSED
    <Data>
        <DoubleLongUnsigned Value="FFFFFFFF" />
    </Data>

Mngmt Set Standard Event Log 0-0:99.98.0.255 (@261)
(56) .capture_objects                                INAPPLICABLE
    Optional access right not available

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@276)
(57) .capture_objects                                INAPPLICABLE
    Optional access right not available

Mngmt Set Consumer Message Text 0-0:96.13.0.255 (@288)
(58) .value                                           PASSED
    <Data>
        <OctetString Value="\12345678" />
    </Data>

Mngmt Set Consumer Message Code 0-0:96.13.1.255 (@292)
(59) .value                                           PASSED
    <Data>
        <OctetString Value="\012345678901234567890123456789012345678901234567890123456789" />
    </Data>

Mngmt Set Image transfer 0-0:44.0.0.255 (@297)
(60) .image_transfer_enabled                         PASSED
    <Data>
        <Bool Value="01" />
    </Data>

Mngmt Set Image transfer activation scheduler 0-0:15.0.2.255 (@310)
(61) .type                                            INAPPLICABLE
    Optional access right not available
(62) .execution_time                                 PASSED

```

```

<Data>
  <Array Qty="0000" >
  </Array>
</Data>

```

Mngmt Set Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@684)
 (63) .period PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

(64) .number_of_periods PASSED

```

  <Data>
    <LongUnsigned Value="0001" />
  </Data>

```

Mngmt Set Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@697)
 (65) .period PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

(66) .number_of_periods PASSED

```

  <Data>
    <LongUnsigned Value="0001" />
  </Data>

```

Mngmt Set Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@710)
 (67) .period PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

(68) .number_of_periods PASSED

```

  <Data>
    <LongUnsigned Value="0001" />
  </Data>

```

Mngmt Set Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@723)
 (69) .period PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

(70) .number_of_periods PASSED

```

  <Data>
    <LongUnsigned Value="0001" />
  </Data>

```

Mngmt Set Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255 (@736)
 (71) .period PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

(72) .number_of_periods PASSED

```

  <Data>
    <LongUnsigned Value="0001" />
  </Data>

```

Mngmt Set Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255 (@749)
 (73) .period PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

(74) .number_of_periods PASSED

```

  <Data>
    <LongUnsigned Value="0001" />
  </Data>

```

Mngmt Set Load profile with period 1

i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(75) .capture_objects

PASSED

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A01FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

(76) .capture_period

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
```

Mngmt Set Load profile with period 2

i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

(77) .capture_objects

PASSED

```
<Data>
  <Array Qty="0007" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A02FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
    </Structure>
  </Array>
</Data>
```

```

        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010803FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010804FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(78) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>

Mngmt Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)
(79) .value PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(80) .value PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)
(81) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)
(82) .value PASSED
    <Data>
        <LongUnsigned Value="00FD" />
    </Data>

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)
(83) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(84) .value PASSED
    <Data>
        <LongUnsigned Value="0067" />
    </Data>

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(85) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1234)

```

(86) .capture_objects	INAPPLICABLE
Optional access right not available	
Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1249)	
(87) .capture_objects	INAPPLICABLE
Optional access right not available	
Mngmt Set Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)	
(88) .number_of_periods	PASSED
<Data>	
<LongUnsigned Value="005A" />	
</Data>	
Mngmt Set Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1309)	
(89) .number_of_periods	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Set Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1340)	
(90) .number_of_periods	INAPPLICABLE
Object is not required according to OM and/or extensions	
Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1407)	
(91) .number_of_periods	PASSED
<Data>	
<LongUnsigned Value="000F" />	
</Data>	
Mngmt Set Average Net Power (+A - -A) 1-0:16.24.0.255 (@1420)	
(92) .number_of_periods	INAPPLICABLE
Optional object is not implemented	
Mngmt Set Average Total Power (+A + -A) 1-0:15.24.0.255 (@1433)	
(93) .number_of_periods	PASSED
<Data>	
<LongUnsigned Value="000F" />	
</Data>	
Mngmt Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)	
(94) .value	INAPPLICABLE
Optional object is not implemented	
Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)	
(95) .mbus_port_reference	PASSED
<Data>	
<OctetString Value="0000180600FF" />	
</Data>	
(96) .capture_definition	PASSED
<Data>	
<Array Qty="0001" >	
<Structure Qty="0002" >	
<OctetString Value="0C" />	
<OctetString Value="\x" />	
</Structure>	
</Array>	
</Data>	
(97) .capture_period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000E10" />	
</Data>	
(98) .primary_address	PASSED
<Data>	
<Unsigned Value="00" />	
</Data>	
Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)	
(99) .mbus_port_reference	PASSED

```

    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(100) .capture_definition PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <OctetString Value="0C" />
          <OctetString Value="\x" />
        </Structure>
      </Array>
    </Data>
(101) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(102) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(103) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(104) .capture_definition PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <OctetString Value="0C" />
          <OctetString Value="\x" />
        </Structure>
      </Array>
    </Data>
(105) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(106) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(107) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(108) .capture_definition PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <OctetString Value="0C" />
          <OctetString Value="\x" />
        </Structure>
      </Array>
    </Data>
(109) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(110) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

```

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)	
(111) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)	
(112) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1587)	
(113) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1595)	
(114) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)	
(115) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)	
(116) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1619)	
(117) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1627)	
(118) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)	
(119) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)	
(120) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1651)	
(121) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1659)	
(122) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)	
(123) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)	
(124) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1683)	
(125) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)	
(126) .scaler_unit	INAPPLICABLE
Optional access right not available	
Mngmt Set M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)	

(127)	.value <Data> <OctetString Value="\M&C" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)		
(128)	.value <Data> <OctetString Value="\M&C" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)		
(129)	.value <Data> <OctetString Value="\M&C" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)		
(130)	.value <Data> <OctetString Value="\M&C" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)		
(131)	.value <Data> <OctetString Value="\12345678" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)		
(132)	.value <Data> <OctetString Value="\12345678" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)		
(133)	.value <Data> <OctetString Value="\12345678" /> </Data>	PASSED
Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)		
(134)	.value <Data> <OctetString Value="\12345678" /> </Data>	PASSED
Mngmt Set M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)		
(135)	.capture_objects <Data> <Array Qty="0006" > <Structure Qty="0004" > <LongUnsigned Value="0008" /> <OctetString Value="0000010000FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> <Structure Qty="0004" > <LongUnsigned Value="0001" /> <OctetString Value="0001600A03FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> <Structure Qty="0004" > <LongUnsigned Value="0004" /> <OctetString Value="0001180201FF" /> </Structure> </Array>	PASSED


```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(136) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

Mngmt Set M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
(137) .capture_objects PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0002600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180204FF" />
                <Integer Value="02" />
            </Structure>
        </Array>
    </Data>

```

```

        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(138) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

Mngmt Set M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(139) .capture_objects PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0003600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180204FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(140) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

Mngmt Set M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(141) .capture_objects PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>

```

```

    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0004600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(142) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Mngmt Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(143) .control_mode PASSED
  <Data>
    <Enum Value="06" />
  </Data>

Mngmt Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(144) .control_mode PASSED
  <Data>
    <Enum Value="06" />
  </Data>

Mngmt Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(145) .control_mode PASSED
  <Data>
    <Enum Value="06" />
  </Data>

Mngmt Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(146) .control_mode PASSED
  <Data>
    <Enum Value="06" />
  </Data>

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1823)
(147) .executed_script PASSED
  <Data>
    <Structure Qty="0002" >
      <OctetString Value="00010A006AFF" />
    </Structure>
  </Data>

```

```

        <LongUnsigned Value="0001" />
    </Structure>
</Data>
(148) .type INAPPLICABLE
    Optional access right not available
(149) .execution_time PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)
(150) .capture_objects INAPPLICABLE
    Optional access right not available

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)
(151) .capture_objects INAPPLICABLE
    Optional access right not available

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)
(152) .capture_objects INAPPLICABLE
    Optional access right not available

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)
(153) .capture_objects INAPPLICABLE
    Optional access right not available

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1898)
(154) .capture_objects INAPPLICABLE
    Optional access right not available

Mngmt Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)
(155) .default_mode INAPPLICABLE
    Optional object is not implemented
(156) .default_baud INAPPLICABLE
    Optional object is not implemented
(157) .prop_baud INAPPLICABLE
    Optional object is not implemented
(158) .response_time INAPPLICABLE
    Optional object is not implemented
(159) .device_addr INAPPLICABLE
    Optional object is not implemented
(160) .pass_p1 INAPPLICABLE
    Optional object is not implemented
(161) .pass_p2 INAPPLICABLE
    Optional object is not implemented
(162) .pass_p3 INAPPLICABLE
    Optional object is not implemented

Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)
(163) .comm_speed PASSED
    <Data>
        <Enum Value="05" />
    </Data>
(164) .window_size_transmit PASSED
    <Data>
        <Unsigned Value="01" />
    </Data>
(165) .window_size_receive PASSED
    <Data>
        <Unsigned Value="01" />
    </Data>
(166) .max_info_field_lenght_transmit PASSED
    <Data>
        <LongUnsigned Value="00F2" />
    </Data>

```

(167)	.max_info_field_lenght_receive	PASSED
	<Data>	
	<LongUnsigned Value="00F2" />	
	</Data>	
(168)	.inter_octet_time_out	PASSED
	<Data>	
	<LongUnsigned Value="0032" />	
	</Data>	
(169)	.inactivity_time_out	PASSED
	<Data>	
	<LongUnsigned Value="0032" />	
	</Data>	
(170)	.device_address	PASSED
	<Data>	
	<LongUnsigned Value="0011" />	
	</Data>	
Mngmt Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)		
(171)	.initiator_electrical_phase	PASSED
	<Data>	
	<Enum Value="03" />	
	</Data>	
(172)	.max_receiving_gain	PASSED
	<Data>	
	<Unsigned Value="2A" />	
	</Data>	
(173)	.max_transmitting_gain	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(174)	.search_initiator_gain	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(175)	.frequencies	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<DoubleLongUnsigned Value="0000F744" />	
	<DoubleLongUnsigned Value="00012110" />	
	</Structure>	
	</Data>	
(176)	.mac_group_addresses	PASSED
	<Data>	
	<Array Qty="0005" >	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	</Array>	
	</Data>	
(177)	.repeater	PASSED
	<Data>	
	<Enum Value="02" />	
	</Data>	
(178)	.min_delta_credit	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(179)	.transmission_speed	PASSED
	<Data>	
	<Enum Value="03" />	
	</Data>	
Mngmt Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)		
(180)	.search_initiator_timeout	PASSED

```

    <Data>
    <LongUnsigned Value="0000" />
  </Data>
(181) .synchronization_confirmation_timeout PASSED
    <Data>
    <LongUnsigned Value="0003" />
  </Data>
(182) .timeout_not_addressed PASSED
    <Data>
    <LongUnsigned Value="0168" />
  </Data>
(183) .timeout_frame_not_OK PASSED
    <Data>
    <LongUnsigned Value="0028" />
  </Data>

Mngmt Set S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(184) .broadcast_frames_counter INAPPLICABLE
    Optional access right not available
(185) .repetitions_counter INAPPLICABLE
    Optional access right not available
(186) .transmissions_counter INAPPLICABLE
    Optional access right not available
(187) .CRC_OK_frames_counter INAPPLICABLE
    Optional access right not available
(188) .CRC_NOK_frames_counter INAPPLICABLE
    Optional access right not available

Mngmt Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(189) .max_frame_length PASSED
    <Data>
    <Unsigned Value="F2" />
  </Data>

```

```

*****
Test Case 8 : Set Pre attributes, 62 item(s)
*****

```

```

Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
    <OctetString Value="07DE0203010A2E05FF800000" />
  </Data>
(2) .time_zone PASSED
    <Data>
    <Long Value="FFC4" />
  </Data>
(3) .daylights_savings_begin PASSED
    <Data>
    <OctetString Value="FFFF03FE07020000008000FF" />
  </Data>
(4) .daylights_savings_end PASSED
    <Data>
    <OctetString Value="FFFF0AFE07030000008000FF" />
  </Data>
(5) .daylights_savings_deviation PASSED
    <Data>
    <Integer Value="3C" />
  </Data>
(6) .daylights_savings_enabled PASSED
    <Data>
    <Bool Value="01" />
  </Data>

Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(7) .value PASSED

```

```

<Data>
  <Unsigned Value="3C" />
</Data>

```

Pre Set Activity Calendar 0-0:13.0.0.255 (@100)

(8) .calendar_name_passive

PASSED

```

<Data>
  <OctetString Value="\TEST_TOU" />
</Data>

```

(9) .season_profile_passive

PASSED

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <OctetString Value="00" />
      <OctetString Value="FFFF0101FF000000008000FF" />
      <OctetString Value="00" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="01" />
      <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
      <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="02" />
      <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
      <OctetString Value="FF" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="03" />
      <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
      <OctetString Value="FF" />
    </Structure>
  </Array>
</Data>

```

(10) .week_profile_table_passive

PASSED

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0008" >
      <OctetString Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0008" >
      <OctetString Value="01" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
    </Structure>
    <Structure Qty="0008" >
      <OctetString Value="02" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
      <Unsigned Value="FF" />
    </Structure>
  </Array>
</Data>

```

```

        </Structure>
        <Structure Qty="0008" >
            <OctetString Value="03" />
            <Unsigned Value="FF" />
            <Unsigned Value="FF" />
            <Unsigned Value="FF" />
            <Unsigned Value="FF" />
            <Unsigned Value="FF" />
            <Unsigned Value="FF" />
            <Unsigned Value="FF" />
        </Structure>
    </Array>
</Data>
(11) .day_profile_table_passive PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Array Qty="0002" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0002" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="08000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>
(12) .activate_passive_calendar_time PASSED
    <Data>
        <OctetString Value="07DE011E04101200FF8000FF" />
    </Data>

Pre Set Special Days Table 0-0:11.0.0.255 (@113)
(13) .entries PASSED
    <_Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <LongUnsigned Value="0000" />
                <OctetString Value="07DC051DFF" />
                <Unsigned Value="00" />
            </Structure>
        </Array>
    </_Data>

Pre Set Register activation - Energy 0-0:14.0.1.255 (@117)
(14) .register_assignment INAPPLICABLE
    Optional access right not available
(15) .mask_list PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="0001" />
                <Array Qty="0011" >
                    <Unsigned Value="01" />
                    <Unsigned Value="02" />
                    <Unsigned Value="03" />
                    <Unsigned Value="04" />
                    <Unsigned Value="05" />
                    <Unsigned Value="06" />
                    <Unsigned Value="07" />
                </Array>
            </Structure>
        </Array>
    </Data>

```



```
<Unsigned Value="08" />
<Unsigned Value="09" />
<Unsigned Value="0A" />
<Unsigned Value="0B" />
<Unsigned Value="0C" />
<Unsigned Value="0D" />
<Unsigned Value="0E" />
<Unsigned Value="0F" />
<Unsigned Value="10" />
<Unsigned Value="11" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0002" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    <Unsigned Value="12" />
    <Unsigned Value="13" />
    <Unsigned Value="14" />
    <Unsigned Value="15" />
    <Unsigned Value="16" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    <Unsigned Value="17" />
    <Unsigned Value="18" />
    <Unsigned Value="19" />
    <Unsigned Value="1A" />
    <Unsigned Value="1B" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="0011" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
```

```

        <Unsigned Value="08" />
        <Unsigned Value="09" />
        <Unsigned Value="0A" />
        <Unsigned Value="0B" />
        <Unsigned Value="0C" />
        <Unsigned Value="1C" />
        <Unsigned Value="1D" />
        <Unsigned Value="1E" />
        <Unsigned Value="1F" />
        <Unsigned Value="20" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

(16) .register_assignment

INAPPLICABLE

Optional access right not available

(17) .mask_list

PASSED

```

    <Data>
    <Array Qty="0004" >
    <Structure Qty="0002" >
    <OctetString Value="0001" />
    <Array Qty="0008" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="05" />
    <Unsigned Value="06" />
    <Unsigned Value="07" />
    <Unsigned Value="08" />
    </Array>
    </Structure>
    <Structure Qty="0002" >
    <OctetString Value="0002" />
    <Array Qty="0008" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="09" />
    <Unsigned Value="0A" />
    <Unsigned Value="0B" />
    <Unsigned Value="0C" />
    </Array>
    </Structure>
    <Structure Qty="0002" >
    <OctetString Value="0003" />
    <Array Qty="0008" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    <Unsigned Value="04" />
    <Unsigned Value="0D" />
    <Unsigned Value="0E" />
    <Unsigned Value="0F" />
    <Unsigned Value="10" />
    </Array>
    </Structure>
    <Structure Qty="0002" >
    <OctetString Value="0004" />
    <Array Qty="0008" >
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="03" />
    </Array>
    </Structure>
    </Data>

```

```

        <Unsigned Value="04" />
        <Unsigned Value="11" />
        <Unsigned Value="12" />
        <Unsigned Value="13" />
        <Unsigned Value="14" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Consumer Message Text 0-0:96.13.0.255 (@288)

```

(18) .value
    <Data>
        <OctetString Value="\12345678" />
    </Data>

```

PASSED

Pre Set Consumer Message Code 0-0:96.13.1.255 (@292)

```

(19) .value
    <Data>
        <OctetString Value="\012345678901234567890123456789012345678901234567890123456789" />
    </Data>

```

PASSED

Pre Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)

```

(20) .value
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

```

PASSED

Pre Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)

```

(21) .value
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

```

PASSED

Pre Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)

```

(22) .value
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

```

PASSED

Pre Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)

```

(23) .value
    <Data>
        <LongUnsigned Value="00FD" />
    </Data>

```

PASSED

Pre Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)

```

(24) .value
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

```

PASSED

Pre Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)

```

(25) .value
    <Data>
        <LongUnsigned Value="0067" />
    </Data>

```

PASSED

Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)

```

(26) .value
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

```

PASSED

Pre Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)

```

(27) .value

```

INAPPLICABLE

Optional object is not implemented

Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)	
(28) .capture_period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000E10" />	
</Data>	
Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)	
(29) .capture_period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000E10" />	
</Data>	
Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)	
(30) .capture_period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000E10" />	
</Data>	
Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)	
(31) .capture_period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000E10" />	
</Data>	
Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)	
(32) .control_mode	PASSED
<Data>	
<Enum Value="06" />	
</Data>	
Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)	
(33) .control_mode	PASSED
<Data>	
<Enum Value="06" />	
</Data>	
Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)	
(34) .control_mode	PASSED
<Data>	
<Enum Value="06" />	
</Data>	
Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)	
(35) .control_mode	PASSED
<Data>	
<Enum Value="06" />	
</Data>	
Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)	
(36) .default_mode	INAPPLICABLE
Optional object is not implemented	
(37) .default_baud	INAPPLICABLE
Optional object is not implemented	
(38) .prop_baud	INAPPLICABLE
Optional object is not implemented	
(39) .response_time	INAPPLICABLE
Optional object is not implemented	
(40) .device_addr	INAPPLICABLE
Optional object is not implemented	
(41) .pass_p1	INAPPLICABLE
Optional object is not implemented	
(42) .pass_p2	INAPPLICABLE
Optional object is not implemented	
(43) .pass_p3	INAPPLICABLE

Optional object is not implemented

Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)

(44) .comm_speed	PASSED
<pre> <Data> <Enum Value="05" /> </Data> </pre>	
(45) .window_size_transmit	PASSED
<pre> <Data> <Unsigned Value="01" /> </Data> </pre>	
(46) .window_size_receive	PASSED
<pre> <Data> <Unsigned Value="01" /> </Data> </pre>	
(47) .max_info_field_lenght_transmit	PASSED
<pre> <Data> <LongUnsigned Value="00F2" /> </Data> </pre>	
(48) .max_info_field_lenght_receive	PASSED
<pre> <Data> <LongUnsigned Value="00F2" /> </Data> </pre>	
(49) .inter_octet_time_out	PASSED
<pre> <Data> <LongUnsigned Value="0032" /> </Data> </pre>	
(50) .inactivity_time_out	PASSED
<pre> <Data> <LongUnsigned Value="0032" /> </Data> </pre>	

Pre Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)

(51) .max_receiving_gain	PASSED
<pre> <Data> <Unsigned Value="2A" /> </Data> </pre>	
(52) .max_transmitting_gain	PASSED
<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(53) .search_initiator_gain	PASSED
<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(54) .frequencies	PASSED
<pre> <Data> <Structure Qty="0002" > <DoubleLongUnsigned Value="0000F744" /> <DoubleLongUnsigned Value="00012110" /> </Structure> </Data> </pre>	
(55) .min_delta_credit	PASSED
<pre> <Data> <Unsigned Value="00" /> </Data> </pre>	
(56) .transmission_speed	PASSED
<pre> <Data> <Enum Value="03" /> </Data> </pre>	

Pre Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

(57) .search_initiator_timeout	PASSED
<pre> <Data> <LongUnsigned Value="0000" /> </Data> </pre>	

```
(58) .synchronization_confirmation_timeout PASSED
    <Data>
      <LongUnsigned Value="0003" />
    </Data>
(59) .timeout_not_addressed PASSED
    <Data>
      <LongUnsigned Value="0168" />
    </Data>
(60) .timeout_frame_not_OK PASSED
    <Data>
      <LongUnsigned Value="0028" />
    </Data>

Pre Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(61) .max_frame_length PASSED
    <Data>
      <Unsigned Value="F2" />
    </Data>
(62) Pre Set passive calendar name and check PASSED
    calendar_name_passive set to "CNP_26B3"
```

Test Case 9 : Selective access of profiles, 17 item(s)

```
Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(1) .buffer PASSED
    entries_in_use: 12
    <Data>
      <DoubleLongUnsigned Value="0000000C" />
    </Data>
    capture_objects:
    <Data>
      <Array Qty="0005" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
```

Buffer has 12 elements:

```
<_Data>
  <Array Qty="000C" >
    <Structure Qty="0005" >
      <OctetString Value="07DA0201FF00000000800000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DA0301FF00000000800000" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DA0401FF00000000800080" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DA0501FF00000000800080" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DA0601FF00000000800080" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DA0701FF00000000800080" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DA0701FF00000000800080" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE010FFF0C090000800000" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE0115FF0B220000800000" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
```

```

    <Structure Qty="0005" >
      <OctetString Value="07DE011BFF12070000800000" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE011FFF12200000800000" />
      <DoubleLongUnsigned Value="000000CF" />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE0201FF00000000800000" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
  </Array>
</_Data>
Earliest date: 01-FEB-2010 00:00:00, latest date: 01-FEB-2014 00:00:00
Middle date: 01-JUL-2010 00:00:00

```

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@181)

(2) .buffer

PASSED

```

  entries_in_use: 67
  <Data>
    <DoubleLongUnsigned Value="00000043" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0047" />
        <OctetString Value="0000110000FF" />
        <Integer Value="03" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
  Buffer has 67 elements:
  <_Data>
    <Array Qty="0043" >
      <Structure Qty="0003" >
        <OctetString Value="07DA011FFF173B0200800000" />
        <Enum Value="FF" />
        <DoubleLongUnsigned Value="00004268" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DA011FFF173B3A00800000" />
        <Enum Value="43" />

```



```
<NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA021CFF173B3A00800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA031FFF173B3A00800080" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA041EFF173B3A00800080" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA051FFF173B3A00800080" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA061EFF173B3A00800080" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0A381600800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0A381900800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B170700800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B172400800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B180900800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B182600800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B190900800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B192700800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B1A0A00800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B1A2700800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B1B0900800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B1B2700800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B1C0B00800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B1C2900800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B223700800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0B230800800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0C050000800000" />
  <Enum Value="40" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE0115FF0C0A0000800000" />
  <Enum Value="45" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF110F2900800000" />
  <Enum Value="43" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF110F2C00800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF11372800800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
```

```
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF11380900800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF11382800800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF11390900800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF11392800800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF113A0800800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF113A2700800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF113B0700800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF113B2600800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF12000700800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF12002600800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF12010700800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF12071400800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF12072000800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
```

```
<OctetString Value="07DE011BFF0C050000800000" />
<Enum Value="40" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011BFF0C0A0000800000" />
  <Enum Value="45" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF11110D00800000" />
  <Enum Value="43" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF11110D00800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF11272100800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF11272300800000" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF12173B00800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF12181B00800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF12183A00800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF12191B00800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF12193B00800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF121A1D00800000" />
  <Enum Value="3F" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF121A3B00800000" />
  <Enum Value="3E" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DE011FFF121B1C00800000" />
```

```

        <Enum Value="3F" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF121C0000800000" />
        <Enum Value="3E" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF121C1C00800000" />
        <Enum Value="3F" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF121C3B00800000" />
        <Enum Value="3E" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF121D1C00800000" />
        <Enum Value="3F" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF12202800800000" />
        <Enum Value="3E" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF12203500800000" />
        <Enum Value="3F" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF0C050000800000" />
        <Enum Value="40" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE011FFF0C0A0000800000" />
        <Enum Value="45" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE0203FF0A0C0E00800000" />
        <Enum Value="43" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE0203FF0A0C0E00800000" />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE0203FF0A2F0D00800000" />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DE0203FF0A2F0F00800000" />
        <NullData />
        <NullData />
    </Structure>
</Array>
</_Data>

```

Earliest date: 31-JAN-2010 23:59:02, latest date: 03-FEB-2014 10:47:15

Middle date: 27-JAN-2014 17:58:39

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)

(3) .buffer

PASSED

entries_in_use: 585

<Data>

<DoubleLongUnsigned Value="00000249" />

</Data>

capture_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600B00FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 585 elements:

<_Data>

<Array Qty="0249" >

<Structure Qty="0002" >

<OctetString Value="07DE011BFF110F2300800000" />

<Enum Value="2F" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF110F3200800000" />

<Enum Value="09" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF110F3200800000" />

<Enum Value="13" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF110F3200800000" />

<Enum Value="2F" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF11100600800000" />

<Enum Value="09" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF11100600800000" />

<Enum Value="13" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF11100600800000" />

<Enum Value="2F" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF11101500800000" />

<Enum Value="09" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF11101500800000" />

<Enum Value="13" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE011BFF11101500800000" />

```
<Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11102300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11103200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11110900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11111A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11112800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11113800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11120A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11121700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11122500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11123200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11130400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11131100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11131F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11132C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11133B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11140C00800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11141A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11142700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11143600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11150800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11151500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11152400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11153200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11160300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11161100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11161E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11162C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11163B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11170C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11171A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11172700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11173600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11180700800000" />
```



```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11181500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11182300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11183000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11190200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11190F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11191D00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11191D00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11191D00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11370A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11371300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11372200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11382300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF11392300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF113A2200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF113B2100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12002100800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12012E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12020600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12021400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12022900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031100800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031100800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031100800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031400800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031400800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031400800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031700800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031700800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12031700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12032B00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12032B00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12032B00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12040600800000" />
```

```
<Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF00000000800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF00000000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF00001D00800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF04000000800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF04000000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF04001A00800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF08000000800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF08000000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF08001A00800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C000000800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C000000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C002500800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C002500800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C002800800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C002800800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C002A00800000" />
  <Enum Value="13" />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C002A00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C003000800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C003000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C010700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C011D00800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12063B00800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12063B00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12063B00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12070000800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12070000800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12070000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12070600800000" />
  <Enum Value="D1" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12070F00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12072D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12073500800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C000000800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0C000000800000" />
```

```

    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C000300800000" />
    <Enum Value="04" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C043700800000" />
    <Enum Value="05" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C043700800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C051600800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C051B00800000" />
    <Enum Value="04" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C093700800000" />
    <Enum Value="05" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C093700800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF0C0A1A00800000" />
    <Enum Value="04" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12090200800000" />
    <Enum Value="05" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12090200800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12101D00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12102500800000" />
    <Enum Value="09" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12102500800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12102500800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12110A00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011BFF12111900800000" />
    <NullData />
  </Structure>

```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12112100800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12112100800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12112100800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12120600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12121500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12121E00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12121E00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12121E00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12132500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12133A00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12133A00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12133A00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12142900800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12142900800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12142900800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12151D00800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12152500800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12153300800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12153300800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12153300800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12153700800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12161200800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12161200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12161200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12162400800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12163200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12163B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12170E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12171400800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12171400800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12171400800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12172500800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12192F00800000" />
  <Enum Value="2F" />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF121A1500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF14062A00800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF14070900800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF14073200800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF14073200800000" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF14090500800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15312F00800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15320600800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15350E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15351100800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15351100800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15353A00800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF15353A00800000" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011CFF09072400800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011CFF090D2D00800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011CFF09120B00800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011EFF09313B00800000" />
```



```
<Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF08130E00800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0F142000800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF10071100800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF103A2800800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF103A2800800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11061A00800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11061D00800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11070A00800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11070A00800000" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11103A00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110900800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110900800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110900800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110900800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110A00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11110C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11151700800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12162700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12162B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12163000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12163500800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11261900800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11261900800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11261D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262900800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262C00800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262C00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262F00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11262F00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11263200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11263200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11263400800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11263400800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11263700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11263B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11270200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11270C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11271000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11271500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11271A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11271F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11272300800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11272800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11272C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11272F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11273300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11273600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11273B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11280400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11280700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11280B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11280F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11281400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11281800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11281D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11282300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11282800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11282D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11283300800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11283800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11290100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11290400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11290900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11290B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11291000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11291500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11291A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11291F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11292300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11292900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11292E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11293300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11293700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A0100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A0600800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A0900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A0E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A1300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A1600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A1C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A1F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A2300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A2A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A2E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A3300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A3800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B0100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B0600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B0B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B1000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B1900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B1E00800000" />
```

```

    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF112B2300800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF112B2800800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF112B2D00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF112B3600800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF112B3B00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF112C0400800000" />
    <Enum Value="04" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11261900800000" />
    <Enum Value="05" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11261900800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11261C00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11262300800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11262F00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11270100800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11270E00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11271C00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11272900800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF11272900800000" />
    <Enum Value="2F" />
  </Structure>

```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11273700800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11273700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11280C00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11280C00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11281C00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11281C00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11282B00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11282B00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11282B00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11283800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11290B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11291F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11292F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A0200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A1400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A2100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112A2F00800000" />
```



```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B0000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B0E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B1B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B2900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112B3700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112C0900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112C1800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112C2500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112C3300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112D0400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112D1200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112D1F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112D2D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112D3A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112E0C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112E1900800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112E2700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112E3500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112F0700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112F1400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112F2200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF112F3000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11300200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11300F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11301D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11302C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11303900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11310C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11311900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11312700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11313400800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF11313400800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12171F00800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12172700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12173600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12183500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12193500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121A3600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121B3700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121C3600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121E0400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121E1800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121E2600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121E3A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121F2200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121F2200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121F2500800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121F2500800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121F2800800000" />
  <Enum Value="13" />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF121F2800800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12200000800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12200000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12201300800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12201400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12201400800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12201400800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12201A00800000" />
  <Enum Value="D1" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12202300800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12210500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12210D00800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C000000800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C000000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C000300800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C043700800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C043700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C051500800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C051A00800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C093700800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C093700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0C0A1500800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12220F00800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12220F00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12292E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12293700800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12293700800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122A1C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122A2A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122A3200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122A3200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122B1900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122B2700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122B2F00800000" />
  <Enum Value="13" />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122B2F00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122C3800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122D1200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122D1200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122E0000800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122E0000800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122E2E00800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122E3500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122F0900800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122F0900800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122F0C00800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122F2200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122F2200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122F3500800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12300700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12300F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12302000800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12302600800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12302600800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12303600800000" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12330400800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12332500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF14241200800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF14242C00800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF14251900800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF14251900800000" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF14262800800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF16180E00800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF16182100800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF16190E00800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF16190E00800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF16193700800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF16193700800000" />
  <Enum Value="12" />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF090A1500800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A002E00800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A002E00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A081F00800000" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A082200800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A090F00800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A090F00800000" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0B3A00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0900800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0A00800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A0C0A00800000" />
```



```

    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A0C0A00800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A0C0D00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A0E3100800000" />
    <Enum Value="30" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0B1E0000800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0B1E0500800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0B1E0A00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0B1E1000800000" />
    <Enum Value="04" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E0500800000" />
    <Enum Value="05" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E0500800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E0800800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E0D00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E1200800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E1400800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E1700800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E1700800000" />
    <Enum Value="2F" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE0203FF0A2E1B00800000" />
    <Enum Value="13" />
  </Structure>

```

```
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E1B00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E1E00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E1E00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E2100800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E2100800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E2300800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E2800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E2B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E3500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E3800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F0100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F0600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F0B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F0F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1A00800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F2200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F2700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F2A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F3100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F3500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F3B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A300400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A300900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A300D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A301200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A301700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A301A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A302000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A302500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A302800800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A302D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A303200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A303700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A310000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A310400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A310900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A310E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A311200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A311600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A311B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A312000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A312500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A312A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A312E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A313300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A313600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A313B00800000" />
```

```
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A320400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A320900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A320F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A321500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A321B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A322000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A322500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A322800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A322D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A323100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A323600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A323B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A330400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A330900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A330C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A331100800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A331400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A331A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A331F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A332400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A332700800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E0500800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E0500800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E0600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E0D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E1700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E2300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2E3000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F0300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1100800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1100800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1F00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F1F00800000" />
```

```
<Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F2F00800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A2F2F00800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A300300800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A300300800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A301200800000" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A301200800000" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A301200800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A302100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A303000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A310700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A311800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A312600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A313700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A320800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A321600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A322300800000" />
  <NullData />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A323100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A330200800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A331000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A331D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A332B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A333900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A340B00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A341800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A342600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A343500800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A350600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A351400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A352100800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A352F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A360000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A360E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0203FF0A361B00800000" />
```



```

        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A362900800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A363600800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A370800800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A371500800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A372300800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A373000800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A380200800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A381000800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A381D00800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A382B00800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A383800800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A390A00800000" />
        <NullData />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A391700800000" />
        <Enum Value="13" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DE0203FF0A391700800000" />
        <Enum Value="2F" />
    </Structure>
</Array>
</_Data>
Earliest date: 27-JAN-2014 00:00:00, latest date: 03-FEB-2014 11:30:16
Middle date: 31-JAN-2014 17:40:12

```

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)
(4) .buffer
entries_in_use: 68

PASSED

```

<Data>
  <DoubleLongUnsigned Value="00000044" />
</Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 68 elements:
  <_Data>
    <Array Qty="0044" >
      <Structure Qty="0002" >
        <OctetString Value="07DA011FFF173B0200800000" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA011FFF173B3A00800000" />
        <Enum Value="2E" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA021CFF173B3A00800000" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA031FFF173B3A00800080" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA041EFF173B3A00800080" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA051FFF173B3A00800080" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA061EFF173B3A00800080" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA0701FF00000800800080" />
        <Enum Value="FA" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE010FFF0B3B0300800000" />
        <Enum Value="2D" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE010FFF0B3B0400800000" />
        <Enum Value="2C" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE010FFF0C0A0800800000" />
        <Enum Value="FA" />
      </Structure>
    </Array>
  </_Data>

```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE010FFF0C253900800000" />
  <Enum Value="2D" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE010FFF0E0D0000800000" />
  <Enum Value="2C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE010FFF0E0D0100800000" />
  <Enum Value="2D" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0A1E3000800000" />
  <Enum Value="2C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0A1E3100800000" />
  <Enum Value="2D" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0A212E00800000" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B2C3800800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B2E0F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B2F0F00800000" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B2F1700800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B320E00800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B330700800000" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B330C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B331800800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B331D00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B332300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
```

```
<OctetString Value="07DE0115FF0B332900800000" />
<NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B332E00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0B333300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0D063900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0E153200800000" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0F221C00800000" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0F293800800000" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0F2A2000800000" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0F2A2200800000" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF0F2A3400800000" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0A080200800000" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0A121C00800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF0A122700800000" />
  <Enum Value="2E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12112400800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12123600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12133500800000" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12140100800000" />
  <NullData />
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12163500800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12172E00800000" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12173400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12180300800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12180900800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12180F00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12181400800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12181A00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011BFF12182000800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0F142400800000" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF10070900800000" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122A3500800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122C0C00800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122D0C00800000" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF122D1600800000" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF12300A00800000" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
```

```

    <OctetString Value="07DE011FFF12310200800000" />
    <Enum Value="32" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12310700800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12311100800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12311600800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12311B00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12312000800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12312600800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE011FFF12312B00800000" />
    <NullData />
  </Structure>
</Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:02, latest date: 31-JAN-2014 18:49:43
Middle date: 24-JAN-2014 15:42:32

```

Mngmt Get Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(5) .buffer

PASSED

```

  entries_in_use: 942
  <Data>
    <DoubleLongUnsigned Value="000003AE" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />

```

```

        <OctetString Value="0100020800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 942 elements:
<_Data>
    <Array Qty="03AE" >
        <Structure Qty="0004" >
            <OctetString Value="07DA0201FF00000000800000" />
            <Unsigned Value="00" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DA0301FF00000000800000" />
            <Unsigned Value="24" />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DA0401FF00000000800080" />
            <Unsigned Value="2C" />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DA0501FF00000000800080" />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DA0601FF00000000800080" />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DA0701FF00000000800080" />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DE010FFF0C000000800000" />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DE010FFF0C2D0000800000" />
            <Unsigned Value="80" />
            <DoubleLongUnsigned Value="0000003B" />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DE010FFF0E0F0000800000" />
            <NullData />
            <DoubleLongUnsigned Value="0000007E" />
            <NullData />
        </Structure>
        <Structure Qty="0004" >
            <OctetString Value="07DE0115FF00000000800000" />
            <Unsigned Value="24" />

```

```
<DoubleLongUnsigned Value="000000CF" />
<NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE0115FF0B2D0000800000" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="80" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
<NullData />
<NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE0118FF0F2D0000800000" />
  <Unsigned Value="A4" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE0118FF110F0000800000" />
  <Unsigned Value="80" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
<NullData />
<NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="24" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE011BFF0C000000800000" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE011BFF120F000000800000" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
```

```
<NullData />  
<NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <Unsigned Value="80" />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <Unsigned Value="00" />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />  
  <NullData />  
  <NullData />  
</Structure>  
<Structure Qty="0004" >  
  <NullData />  
  <NullData />
```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
<NullData />
<NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE011FFF0C000000800000" />
  <Unsigned Value="24" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DE011FFF122D000000800000" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
```

```
<NullData />
<NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="80" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="80" />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="00" />
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <NullData />
        <NullData />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <NullData />
        <NullData />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DE0203FF0A0D0000800000" />
        <Unsigned Value="80" />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DE0203FF0A0F0000800000" />
        <Unsigned Value="00" />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <NullData />
        <NullData />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <NullData />
        <NullData />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <NullData />
        <Unsigned Value="24" />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0004" >
        <NullData />
        <Unsigned Value="00" />
        <NullData />
        <NullData />
    </Structure>
</Array>
</_Data>
Earliest date: 01-FEB-2010 00:00:00, latest date: 03-FEB-2014 10:15:00
Middle date: 27-JAN-2014 12:00:00

```

Mngmt Get Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

(6) .buffer

PASSED

```

    entries_in_use: 19
    <Data>
        <DoubleLongUnsigned Value="00000013" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0007" >

```

```

    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A02FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010803FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010804FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
Buffer has 19 elements:
<_Data>
  <Array Qty="0013" >
    <Structure Qty="0007" >
      <OctetString Value="07DA0201FF00000000800000" />
      <Unsigned Value="00" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0007" >
      <OctetString Value="07DA0301FF00000000800000" />
      <Unsigned Value="24" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0007" >

```

```
<OctetString Value="07DA0401FF00000000800080" />
<Unsigned Value="2C" />
<NullData />
<NullData />
<NullData />
<NullData />
<NullData />
</Structure>
<Structure Qty="0007" >
  <OctetString Value="07DA0501FF00000000800080" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <OctetString Value="07DA0601FF00000000800080" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <OctetString Value="07DA0701FF00000000800080" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <OctetString Value="07DE0115FF00000000800000" />
  <Unsigned Value="A4" />
  <DoubleLongUnsigned Value="000000CF" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <Unsigned Value="80" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <DoubleLongUnsigned Value="000000CF" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <NullData />
  <NullData />
```

```
<NullData />
<NullData />
<NullData />
<NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <Unsigned Value="80" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <Unsigned Value="00" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <OctetString Value="07DE011BFF00000000800000" />
  <Unsigned Value="24" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <Unsigned Value="80" />
  <NullData />
  <DoubleLongUnsigned Value="00000000" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <OctetString Value="07DE011FFF00000000800000" />
  <NullData />
  <NullData />
  <DoubleLongUnsigned Value="000000CF" />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0007" >
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
```

```

        <NullData />
    </Structure>
    <Structure Qty="0007" >
        <NullData />
        <Unsigned Value="00" />
        <NullData />
        <NullData />
        <NullData />
        <NullData />
        <NullData />
    </Structure>
    <Structure Qty="0007" >
        <NullData />
        <NullData />
        <NullData />
        <NullData />
        <NullData />
        <NullData />
        <NullData />
    </Structure>
</Array>
</_Data>
Earliest date: 01-FEB-2010 00:00:00, latest date: 31-JAN-2014 00:00:00
Middle date: 27-JAN-2014 00:00:00

```

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)

(7) .buffer

PASSED

```

entries_in_use: 14
    <Data>
        <DoubleLongUnsigned Value="0000000E" />
    </Data>
capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0000600713FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
Buffer has 14 elements:
    <_Data>
        <Array Qty="000E" >
            <Structure Qty="0002" >
                <OctetString Value="07DA011FFF173B3B00800000" />
                <DoubleLongUnsigned Value="00000046" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DA021CFF173B3A00800000" />
                <NullData />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DA031FFF173B3A00800080" />
                <NullData />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DA041EFF173B3A00800080" />
                <NullData />
            </Structure>
        </Array>
    </_Data>

```



```

</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DA051FFF173B3B00800080" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DA061EFF173B3A00800080" />
  <NullData />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE010FFF0C090500800000" />
  <DoubleLongUnsigned Value="00000208" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE010FFF0C253800800000" />
  <DoubleLongUnsigned Value="00000675" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE010FFF0E0D0000800000" />
  <DoubleLongUnsigned Value="00001427" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0115FF0A1E3000800000" />
  <DoubleLongUnsigned Value="0007B2EE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE0118FF110A2E00800000" />
  <DoubleLongUnsigned Value="000011B2" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011CFF090D3000800000" />
  <DoubleLongUnsigned Value="00000171" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011EFF09320200800000" />
  <DoubleLongUnsigned Value="0002AA74" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE011FFF0F142300800000" />
  <DoubleLongUnsigned Value="000062BE" />
</Structure>
</Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:59, latest date: 31-JAN-2014 15:20:35
Middle date: 15-JAN-2014 12:37:56

```

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

(8) .buffer

PASSED

entries_in_use: 10

<Data>

<DoubleLongUnsigned Value="0000000A" />

</Data>

capture_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600B04FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

```

    </Structure>
  </Array>
</Data>
Buffer has 10 elements:
<_Data>
  <Array Qty="000A" >
    <Structure Qty="0002" >
      <OctetString Value="07DA011FFF173B0200800000" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA011FFF173B3A00800000" />
      <Enum Value="52" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA021CFF173B3A00800000" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA031FFF173B3A00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA041EFF173B3A00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA051FFF173B3A00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA061EFF173B3A00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE011BFF00000000800000" />
      <Enum Value="D3" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE011BFF00000100800000" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE0203FF00000000800000" />
      <NullData />
    </Structure>
  </Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:02, latest date: 03-FEB-2014 00:00:00
Middle date: 31-MAY-2010 23:59:58

```

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)
 (9) .buffer

PASSED

```

entries_in_use: 6
<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
capture_objects:
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  
```

```

    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0001600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
Buffer has 6 elements:
<_Data>
  <Array Qty="0006" >
    <Structure Qty="0006" >
      <OctetString Value="07DA011FFF173B0000800000" />
      <Unsigned Value="00" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA021CFF173B0000800000" />
      <Unsigned Value="24" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA031FFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA041EFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
  </Array>

```

```

</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DA051FFF173B0000800080" />
  <Unsigned Value="2C" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DA061EFF173B0000800080" />
  <Unsigned Value="2C" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
</Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:00, latest date: 30-JUN-2010 23:59:00
Middle date: 30-APR-2010 23:59:00

```

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
 (10) .buffer

PASSED

```

entries_in_use: 6
<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
capture_objects:
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0002600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>

```

```

    </Structure>
  </Array>
</Data>
Buffer has 6 elements:
<_Data>
  <Array Qty="0006" >
    <Structure Qty="0006" >
      <OctetString Value="07DA011FFF173B0000800000" />
      <Unsigned Value="00" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA021CFF173B0000800000" />
      <Unsigned Value="24" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA031FFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA041EFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA051FFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA061EFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
  </Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:00, latest date: 30-JUN-2010 23:59:00
Middle date: 30-APR-2010 23:59:00

```

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)

(11) .buffer

PASSED

entries_in_use: 6

<Data>

<DoubleLongUnsigned Value="00000006" />

</Data>

capture_objects:

```

<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0003600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
Buffer has 6 elements:
<_Data>
  <Array Qty="0006" >
    <Structure Qty="0006" >
      <OctetString Value="07DA011FFF173B0000800000" />
      <Unsigned Value="00" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA021CFF173B0000800000" />
      <Unsigned Value="24" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DA031FFF173B0000800080" />
      <Unsigned Value="2C" />
      <NullData />
      <NullData />
      <NullData />
      <NullData />
    </Structure>
  </Array>

```

```

</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DA041EFF173B0000800080" />
  <Unsigned Value="2C" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DA051FFF173B0000800080" />
  <Unsigned Value="2C" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DA061EFF173B0000800080" />
  <Unsigned Value="2C" />
  <NullData />
  <NullData />
  <NullData />
  <NullData />
</Structure>
</Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:00, latest date: 30-JUN-2010 23:59:00
Middle date: 30-APR-2010 23:59:00

```

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)

(12) .buffer

PASSED

entries_in_use: 6

```

<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
capture_objects:
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0004600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180203FF" />

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 6 elements:
<_Data>
    <Array Qty="0006" >
        <Structure Qty="0006" >
            <OctetString Value="07DA011FFF173B0000800000" />
            <Unsigned Value="00" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA021CFF173B0000800000" />
            <Unsigned Value="24" />
            <NullData />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA031FFF173B0000800080" />
            <Unsigned Value="2C" />
            <NullData />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA041EFF173B0000800080" />
            <Unsigned Value="2C" />
            <NullData />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA051FFF173B0000800080" />
            <Unsigned Value="2C" />
            <NullData />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA061EFF173B0000800080" />
            <Unsigned Value="2C" />
            <NullData />
            <NullData />
            <NullData />
            <NullData />
        </Structure>
    </Array>
</_Data>

```

Earliest date: 31-JAN-2010 23:59:00, latest date: 30-JUN-2010 23:59:00

Middle date: 30-APR-2010 23:59:00

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)

(13) .buffer

PASSED

entries_in_use: 7

<Data>

<DoubleLongUnsigned Value="00000007" />

</Data>

capture_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0001600B04FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 7 elements:

<_Data>

<Array Qty="0007" >

<Structure Qty="0002" >

<OctetString Value="07DA011FFF173B0300800000" />

<Enum Value="FF" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DA011FFF173B3B00800000" />

<Enum Value="A4" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DA021CFF173B3B00800000" />

<NullData />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DA031FFF173B3A008000080" />

<NullData />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DA041EFF173B3B008000080" />

<NullData />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DA051FFF173B3B008000080" />

<NullData />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DA061EFF173B3B008000080" />

<NullData />

</Structure>

</Array>

</_Data>

Earliest date: 31-JAN-2010 23:59:03, latest date: 30-JUN-2010 23:59:59

Middle date: 31-MAR-2010 23:59:58

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

(14) .buffer

PASSED

entries_in_use: 7

<Data>

<DoubleLongUnsigned Value="00000007" />

</Data>

```

capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0002600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

Buffer has 7 elements:

```

  <_Data>
    <Array Qty="0007" >
      <Structure Qty="0002" >
        <OctetString Value="07DA011FFF173B0300800000" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA011FFF173B3B00800000" />
        <Enum Value="AE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA021CFF173B3B00800000" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA031FFF173B3A00800008" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA041EFF173B3B00800008" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA051FFF173B3B00800008" />
        <NullData />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA061EFF173B3B00800008" />
        <NullData />
      </Structure>
    </Array>
  </_Data>

```

Earliest date: 31-JAN-2010 23:59:03, latest date: 30-JUN-2010 23:59:59

Middle date: 31-MAR-2010 23:59:58

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

(15) .buffer

PASSED

```

  entries_in_use: 7
  <Data>
    <DoubleLongUnsigned Value="00000007" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />

```

```

        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 7 elements:
<_Data>
    <Array Qty="0007" >
        <Structure Qty="0002" >
            <OctetString Value="07DA011FFF173B0300800000" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DA011FFF173B3B00800000" />
            <Enum Value="B8" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DA021CFF173B3B00800000" />
            <NullData />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DA031FFF173B3A00800080" />
            <NullData />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DA041EFF173B3B00800080" />
            <NullData />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DA051FFF173B3B00800080" />
            <NullData />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DA061EFF173B3B00800080" />
            <NullData />
        </Structure>
    </Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:03, latest date: 30-JUN-2010 23:59:59
Middle date: 31-MAR-2010 23:59:58

```

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(16) .buffer

PASSED

```

    entries_in_use: 7
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

    </Structure>
  </Array>
</Data>
Buffer has 7 elements:
<_Data>
  <Array Qty="0007" >
    <Structure Qty="0002" >
      <OctetString Value="07DA011FFF173B0400800000" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA011FFF173B3B00800000" />
      <Enum Value="C2" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA021CFF173B3B00800000" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA031FFF173B3A00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA041EFF173B3B00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA051FFF173B3B00800080" />
      <NullData />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA061EFF173B3B00800080" />
      <NullData />
    </Structure>
  </Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:04, latest date: 30-JUN-2010 23:59:59
Middle date: 31-MAR-2010 23:59:58

```

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)

(17) .buffer

PASSED

```

  entries_in_use: 7
  <Data>
    <DoubleLongUnsigned Value="00000007" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
  Buffer has 7 elements:
  <_Data>
    <Array Qty="0007" >
      <Structure Qty="0002" >

```

```

    <OctetString Value="07DA011FFF173B0200800000" />
    <Enum Value="FF" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DA011FFF173B3A00800000" />
    <Enum Value="68" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DA021CFF173B3A00800000" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DA031FFF173B3A00800080" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DA041EFF173B3A00800080" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DA051FFF173B3A00800080" />
    <NullData />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DA061EFF173B3A00800080" />
    <NullData />
  </Structure>
</Array>
</_Data>
Earliest date: 31-JAN-2010 23:59:02, latest date: 30-JUN-2010 23:59:58
Middle date: 31-MAR-2010 23:59:58

```

```

*****
Test Case 10 : Multiple references, 4 item(s)
*****

```

(1) Public, logical names

PASSED

Reading 5 attributes

```

  <Result Qty="0005" >
    <Data>
      <OctetString Value="0000290000FF" />
    </Data>
    <Data>
      <OctetString Value="0000280000FF" />
    </Data>
    <Data>
      <OctetString Value="00002B0101FF" />
    </Data>
    <Data>
      <OctetString Value="00002B0100FF" />
    </Data>
    <Data>
      <OctetString Value="00002A0000FF" />
    </Data>
  </Result>

```

(2) Mngmt, logical names

PASSED

Reading 16 attributes

```

  <Result Qty="0010" >
    <Data>
      <OctetString Value="00001A0500FF" />
    </Data>
    <Data>
      <OctetString Value="00001A0300FF" />
    </Data>
    <Data>
      <OctetString Value="00001A0200FF" />
    </Data>

```

```

<Data>
  <OctetString Value="00001A0100FF" />
</Data>
<Data>
  <OctetString Value="00001A0000FF" />
</Data>
<Data>
  <OctetString Value="0000160000FF" />
</Data>
<Data>
  <OctetString Value="0100040700FF" />
</Data>
<Data>
  <OctetString Value="0100030700FF" />
</Data>
<Data>
  <OctetString Value="0100020700FF" />
</Data>
<Data>
  <OctetString Value="0100010700FF" />
</Data>
<Data>
  <OctetString Value="01000F0700FF" />
</Data>
<Data>
  <OctetString Value="01005A0700FF" />
</Data>
<Data>
  <OctetString Value="01001F0700FF" />
</Data>
<Data>
  <OctetString Value="0100201800FF" />
</Data>
<Data>
  <OctetString Value="0100200700FF" />
</Data>
<Data>
  <OctetString Value="0000636204FF" />
</Data>
</Result>

```

(3) Mngmt, mixed attributes
Reading 15 attributes

PASSED

```

<Result Qty="000F" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <Enum Value="00" />
  </Data>
  <Data>
    <Long Value="FFC4" />
  </Data>
  <Data>
    <OctetString Value="0001" />
  </Data>
  <Data>
    <Enum Value="01" />
  </Data>
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>

```

```

<Data>
  <DoubleLongUnsigned Value="00000044" />
</Data>
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
<Data>
  <LongUnsigned Value="0001" />
</Data>
<Data>
  <Enum Value="02" />
</Data>
<Data>
  <Bool Value="01" />
</Data>
<Data>
  <Unsigned Value="00" />
</Data>
<Data>
  <LongUnsigned Value="0C00" />
</Data>
<Data>
  <Bool Value="01" />
</Data>
<Data>
  <Enum Value="03" />
</Data>
</Result>

```

(4) Mngmt, long attributes (block transfer)
Reading 5 attributes

PASSED

```

<_Data Qty="0005" >
  <Data>
    <OctetString Value="\CNP_26B3" />
  </Data>
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <OctetString Value="00" />
        <OctetString Value="FFFF0101FF000000008000FF" />
        <OctetString Value="00" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="01" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="02" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="03" />
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
        <OctetString Value="FF" />
      </Structure>
    </Array>
  </Data>
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0008" >
        <OctetString Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Data>
</_Data>

```

```

        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0008" >
        <OctetString Value="01" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
    </Structure>
    <Structure Qty="0008" >
        <OctetString Value="02" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
    </Structure>
    <Structure Qty="0008" >
        <OctetString Value="03" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
        <Unsigned Value="FF" />
    </Structure>
</Array>
</Data>
<Data>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Unsigned Value="00" />
            <Array Qty="0002" >
                <Structure Qty="0003" >
                    <OctetString Value="00000000" />
                    <OctetString Value="00000A0064FF" />
                    <LongUnsigned Value="0002" />
                </Structure>
                <Structure Qty="0003" >
                    <OctetString Value="08000000" />
                    <OctetString Value="00000A0064FF" />
                    <LongUnsigned Value="0001" />
                </Structure>
            </Array>
        </Structure>
    </Array>
</Data>
<Data>
    <OctetString Value="07DE011E04101200FF8000FF" />
</Data>
</_Data>

```

Test Case 11 : Disconnect controls, 3 item(s)

- (1) Disconnect control
- Disconnect in control mode 0
- Test control mode 1

PASSED


```
Test control mode 2
Test control mode 3
Test control mode 4
Test control mode 5
Test control mode 6
(2) Load Mgmt - Relay control 1 PASSED
(3) Load Mgmt - Relay control 2 PASSED

*****
Test Case 12 : Script tables, 3 item(s)
*****
(1) Tariffication script table PASSED
Tariffication script table (parameters 1): " □, □, □, □"
Register activation - Energy (mask names): " □, □, □, □"
Tariffication script table (parameters 2): " □, □, □, □"
Register activation - Maximum Demand (mask names): " □, □, □, □"
calendar_name_passive name: TOU_2CDD
activate_passive_calendar_time: 03-FEB-2014 11:41:26
activate_passive_calendar_time: 03-FEB-2014 12:01:02
(2) MDI Reset / End of billing period script table PASSED
(3) Disconnect script table PASSED

*****
Test Case 13 : Miscellaneous tests, 5 item(s)
*****
(1) Set/Get of long attribute PASSED
(2) S-FSK Initiator, execute reset_NEW_not_synchronized PASSED
MAC address = 0x001
(3) Reset S-FSK MAC counters INAPPLICABLE
Optional access right not available
(4) Set S-FSK transmissions counter INAPPLICABLE
Optional access right not available
(5) COSEM logical device name PASSED
Value: "MAC1000700119927"

*****
Test Case 14 : Application association, 17 item(s)
*****
(1) Wrong logical device Id PASSED
(2) Wrong client Id PASSED
(3) Opening an already opened application association PASSED
(4) Error on the Protocol version PASSED
(5) Application context missing PASSED
(6) Wrong application context PASSED
(7) Missing calling AP title in a ciphering AARQ PASSED
(8) Wrong system title in the Calling AP title PASSED
(9) ACSE requirement missing PASSED
(10) Wrong ACSE requirement PASSED
(11) Authentication mechanism missing PASSED
(12) Wrong authentication mechanism PASSED
(13) Authentication value missing PASSED
(14) Wrong authentication value PASSED
(15) User information missing PASSED
(16) Wrong dedicated key PASSED
(17) Incorrect conformance bloc PASSED

*****
Test Case 15 : xDLMS Services, 20 item(s)
*****
(1) Get without AA opening PASSED
(2) Set without AA opening PASSED
(3) Action without AA opening PASSED
(4) Get with wrong inner tag PASSED
(5) Set with wrong inner tag PASSED
(6) Action with wrong inner tag PASSED
(7) Error during block transfer with get PASSED
```

(8) Error during block transfer with set	PASSED
(9) Get with wrong attribute id	PASSED
(10) Set with wrong attribute id	PASSED
(11) Action with wrong attribute id	PASSED
(12) Get with wrong access right	PASSED
(13) Set with wrong access right	PASSED
(14) Action with wrong access right	PASSED
(15) Get with wrong access selector	PASSED
(16) Get with wrong access parameters	PASSED
(17) Set with wrong data type	PASSED
(18) Action with wrong data type	PASSED
(19) Set with wrong data content	PASSED
(20) Action with wrong data content	PASSED

Test Case 16 : Security Activate, 3 item(s)

(1) Activate 1	PASSED
Pre set calendar_name_passive to CNP_37E9 using +A, -E	
Pre set calendar_name_passive to CNP_FBD3 using +A, -E tweaked A	
Mngmt get calendar_name_passive using +A, -E, expect "CNP_37E9"	
Mngmt set calendar_name_passive to CNP_FBD3 using +A, -E tweaked A	
Mngmt get calendar_name_passive using +A, -E, expect "CNP_37E9"	
Mngmt set security_policy attribute to 0	
(2) Activate 2	PASSED
Pre set calendar_name_passive to CNP_B350 using -A, +E	
Pre set calendar_name_passive to CNP_EA44 using -A, +E tweaked E	
Mngmt get calendar_name_passive using -A, +E, expect "CNP_B350"	
Mngmt set calendar_name_passive to CNP_EA44 using -A, +E tweaked E	
Mngmt get calendar_name_passive using -A, +E, expect "CNP_B350"	
Mngmt set security_policy attribute to 0	
(3) Activate 3	PASSED
Pre set calendar_name_passive to CNP_D328 using +A, +E	
Pre set calendar_name_passive to CNP_20C5 using +A, +E tweaked A	
Mngmt get calendar_name_passive using +A, +E, expect "CNP_D328"	
Mngmt set calendar_name_passive to CNP_20C5 using +A, +E tweaked A	
Mngmt get calendar_name_passive using +A, +E, expect "CNP_D328"	
Pre set calendar_name_passive to CNP_561F using +A, +E tweaked E	
Mngmt get calendar_name_passive using +A, +E, expect "CNP_D328"	
Mngmt set calendar_name_passive to CNP_561F using +A, +E tweaked E	
Mngmt get calendar_name_passive using +A, +E, expect "CNP_D328"	
Mngmt set security_policy attribute to 0	

Test Case 17 : Frame counter, 5 item(s)

(1) Unicast replay	PASSED
(2) Broadcast replay	PASSED
(3) Unicast Register	PASSED
(4) Broadcast Register	PASSED
(5) Received value	PASSED

Test Case 18 : Security global key transfer, 4 item(s)

(1) Global unicast encryption key transfer	PASSED
(2) Global broadcast encryption key transfer	PASSED
(3) Global authentication key transfer	PASSED
(4) All key transfer	PASSED

Test Case 19 : Secured service user information, 9 item(s)

(1) AARQ not encrypted	PASSED
(2) AARQ not authenticated	PASSED
(3) AARQ not encrypted not authenticated	PASSED

(4) AARQ with A security header	PASSED
(5) AARQ with E security header	PASSED
(6) AARQ with empty security header	PASSED
(7) AARQ with invalid frame counter	PASSED
(8) AARQ with invalid authentication	PASSED
(9) AARQ with invalid encryption	PASSED

 Test Case 20 : Application association release service, 6 item(s)

(1) RLRQ invalid release request	PASSED
(2) RLRQ with missing user information	PASSED
(3) RLRQ non secure user information	PASSED
(4) RLRQ invalid security header	PASSED
(5) RLRQ invalid authentication	PASSED
(6) RLRQ invalid encryption	PASSED

 Test Case 21 : Image transfer, 3 item(s)

(1) Basic	PASSED
Block size: 190	
(2) Full	PASSED
Block size: 190	
ImageSize: 260100, Blocks: 1369, Last block size: 180	
image_to_activate_info:	
<Data>	
<Array Qty="0001" >	
<Structure Qty="0003" >	
<DoubleLongUnsigned Value="0003F804" />	
<OctetString Value="\MAC-SM401D-HW2.8" />	
<OctetString Value="\11B2147E" />	
</Structure>	
</Array>	
</Data>	
(3) Full delayed	PASSED
Block size: 190	
ImageSize: 260100, Blocks: 1369, Last block size: 180	
image_to_activate_info:	
<Data>	
<Array Qty="0001" >	
<Structure Qty="0003" >	
<DoubleLongUnsigned Value="0003F804" />	
<OctetString Value="\MAC-SM401D-HW2.8" />	
<OctetString Value="\11B2147E" />	
</Structure>	
</Array>	
</Data>	

 * CTI *

```
Manufacturer = {
  Name = '\Meter and Control d.o.o.'
  ThreeLettersId = '\MAC'
}
```

```
DeviceUnderTest = {

  Type = '\SM401D-xxAxxxxx-xSxxxxx-xxxxxxxxxxxxx'
  IDISDeviceType = 100
  IDISFunctionType = [Extension_D, Extension_L, Extension_M]
  SerialNr = 00119927
}
```

```

ObjectModel = {

    // Optional objects implemented
    OptionalObjects = '\
    + '0-2:96.3.10.255|70,' // Load Mgmt - Relay control 2 (@205)
    + '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@515)
    + '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@521)
    + '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@527)
    + '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@533)
    + '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@539)
    + '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@545)
    + '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@551)
    + '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@557)
    + '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@563)
    + '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@569)
    + '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@575)
    + '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@581)
    + '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@587)
    + '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@593)
    + '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@599)
    + '1-0:8.8.4.255|3,' // Reactive energy (QIV) rate 4 (@605)
    + '1-0:15.8.1.255|3,' // Active energy Combined total (|+A|+|-A|) rate 1 (@659)
    + '1-0:15.8.2.255|3,' // Active energy Combined total (|+A|+|-A|) rate 2 (@665)
    + '1-0:15.8.3.255|3,' // Active energy Combined total (|+A|+|-A|) rate 3 (@671)
    + '1-0:15.8.4.255|3,' // Active energy Combined total (|+A|+|-A|) rate 4 (@677)
    + '1-0:9.4.0.255|5,' // Demand Register 5 - Apparent energy import (+VA) (@736)
    + '1-0:10.4.0.255|5,' // Demand Register 6 - Apparent energy export (-VA) (@749)
    + '1-0:9.6.0.255|4,' // Maximum Demand Register 21 - Apparent energy import (+VA) (@970)
    + '1-0:9.6.1.255|4,' // Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1
    (@978)
    + '1-0:9.6.2.255|4,' // Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2
    (@986)
    + '1-0:9.6.3.255|4,' // Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3
    (@994)
    + '1-0:9.6.4.255|4,' // Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4
    (@1002)
    + '1-0:10.6.0.255|4,' // Maximum Demand Register 26 - Apparent energy export (-VA) (@1010)
    + '1-0:10.6.1.255|4,' // Maximum Demand Register 27 - Apparent energy export (-VA) - rate 1
    (@1018)
    + '1-0:10.6.2.255|4,' // Maximum Demand Register 28 - Apparent energy export (-VA) - rate 2
    (@1026)
    + '1-0:10.6.3.255|4,' // Maximum Demand Register 29 - Apparent energy export (-VA) - rate 3
    (@1034)
    + '1-0:10.6.4.255|4,' // Maximum Demand Register 30 - Apparent energy export (-VA) - rate 4
    (@1042)
    + '1-0:14.7.0.255|3,' // Instantaneous net frequency; any phase (@1359)
    + '1-0:9.7.0.255|3,' // Instantaneous apparent import power (+VA) (@1395)
    + '1-0:10.7.0.255|3,' // Instantaneous apparent export power (-VA) (@1401)
    + '1-0:13.7.0.255|3,' // Instantaneous Power factor (+A/+VA) (@1446)
    + '0-1:24.6.0.255|74' // M-Bus master port setup 2 (@1479)

    InstanceExtraInfo = {
        // Current association (@9)
        LogicalName = '0-0:40.0.0.255'
        ClassId = 15
        AttributeExtraInfo = {
            // secret
            AttributeId = 7
            AccessRights = [SET]
            SetData = '<Data><OctetString Value="3132333435363738" /></Data>'
        }
    }

    InstanceExtraInfo = {
        // Activity Calendar (@100)
        LogicalName = '0-0:13.0.0.255'
    }
}

```

```

    ClassId = 20
    MethodExtraInfo = {
        // activate_passive_calendar
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // Load Mgmt - Relay control 1 (@197)
    LogicalName = '0-1:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        // control_mode
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Load Mgmt - Relay control 2 (@205)
    LogicalName = '0-2:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        // control_mode
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Set value for Consumer Message Text
    LogicalName = '0-0:96.13.0.255'
    ClassId = 1
    AttributeExtraInfo = {
        AttributeId = 2
        SetData = '<Data><OctetString Value="3132333435363738" /></Data>'
    }
}

}

TestParameters = {
    MeterDiscoveryTimeout = 240000
    DefaultAccessTimeout = 240000
    DefaultPriority = 5
    ConnectDisconnectDelay = 10000
    DCSysTitle = '4C475A4954000002' //KEMA PLC MODEM

    ImageTransfer = {
        ImageIdentifier = '\MAC-SM401D-HW2.8'
        ImageFileName = '\MACImagetest.image'
        Timeout = 90000
    }
}

TestOptions = {
}

PLCConfig = {
    AddrMAC = 0xC00
    TimeoutNotAddr = 360
    MaxSubFrames = 7
    TimeUpdatePeriod = 0
    BkgTaskEnabled = 1
}

```

```
BkgMinDelay = 60
DiscoverTimeSlots = 20
ResponseProbability = 100
MaxCredit = 2
DiscoverPeriod = 0
TransmissionGain = 0
ReceptionGain = 8
BaudRate = 1
InputFrequency = 0
NbComOkDecrCredit = 3
DecrCredit = 1
IncrCredit = 2
MaxRetry = 1
RepeaterCallEnabled = 0
RepeaterCallLevel = 1000
NewBcplTSlotCount = 10
AlarmMngtEnabled = 0
AlarmMngtDelay = 0
AutoDiscoveryPriority = 2
FCTxValue = 0
}

StandardSecurityElements = {

    Public = {
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        MechanismName = LOW_LEVEL_SECURITY
        Policy = NO_SECURITY
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = NO_SECURITY
    }
}

LocalSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
    }
}

TunnelSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
```

```
}

Management = {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
    Policy = AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
}

PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
}

}

HDLCTransport = {

    PhysicalLayer = {
        // EchoingPort = FALSE
        OpeningMode = DIRECT_HDLC
        HdlcBaud = 9600
    }

    DataLinkLayer = {
        InactivityTimeout = 55000
        InterFrameTimeout = 100
        ResponseTimeout = 2000
        ServerLowerMacAddress = 0x11
        DISCToNDMTimeout = 500
        AddressingSchemes = [TWO_BYTES_ADDRESSING]
    }
}

*****
* Miscellaneous *
*****

TestMode:                Tunnel
Test Plan Signature:      E53F3C99A379560370B3E7F18D7D877C
Object Model:             IDIS - object model - V1.24 (20120510).xlsx
DUT system title:         4D4143647001D477
DC MeterId:               MAC647001D477
Run number:               111
--

A65231A68943B88605E6AC1B20C2A41E
```